



CONTENTS


ETHYLENE: A GASEOUS SIGNAL MOLECULE IN PLANTS, <i>Anthony B. Bleecker and Hans Kende</i>	1
MECHANISMS OF SYNAPTIC VESICLE EXOCYTOSIS, <i>Richard C. Lin and Richard Scheller</i>	19
EVOLUTIONARILY RELATED INSERTION PATHWAYS OF BACTERIAL, MITOCHONDRIAL, AND THYLAKOID MEMBRANE PROTEINS, <i>Ross E. Dalbey and Andreas Kuhn</i>	51
STRUCTURAL BASIS FOR THE INTERACTION OF TUBULIN WITH PROTEINS AND DRUGS THAT AFFECT MICROTUBULE DYNAMICS, <i>Kenneth H. Downing</i>	89
ERM-MERLIN AND EBP 50 PROTEIN FAMILIES IN PLASMA MEMBRANE ORGANIZATION AND FUNCTION, <i>Anthony Bretscher, David Chambers, Rachel Nguyen, and David Reczek</i>	113
MOLECULAR REGULATION OF ADIPOGENESIS, <i>Evan D. Rosen and Bruce Spiegelman</i>	145
GUT FEELINGS: ENTEROPATHOGENIC <i>E. coli</i> (EPEC) INTERACTIONS WITH THE HOST, <i>Danika L. Goosney, Samantha Gruenheid, and B. Brett Finlay</i>	173
BONE DEVELOPMENT, <i>Bjorn Olsen, Anthony M. Reginato, and Wenfang Wang</i>	191
CELLULAR SIGNALING AND VOLUME CONTROL IN STOMATAL MOVEMENTS OF PLANTS, <i>Michael R. Blatt</i>	221
THE DEVELOPMENT AND MOLECULAR BIOLOGY OF GENES THAT SUBDIVIDE THE BODY OF <i>Drosophila</i> , <i>Richard S. Mann, and Gines Morata</i>	243
CAJAL BODIES: THE FIRST 100 YEARS, <i>Joseph Gall</i>	273
EPITHELIAL M CELLS: DIFFERENTIATION AND FUNCTION, <i>Jean-Pierre Kraehenbuhl and Marian R. Neutra</i>	301
MOLECULAR RECOGNITION AND RESPONSE IN POLLEN AND PISTIL INTERACTIONS, <i>Andrew G. McCubbin and Teh-Hui Kao</i>	333



CONTENTS

ETHYLENE: A GASEOUS SIGNAL MOLECULE IN PLANTS, <i>Anthony B. Bleecker and Hans Kende</i>	1
MECHANISMS OF SYNAPTIC VESICLE EXOCYTOSIS, <i>Richard C. Lin and Richard Scheller</i>	19
EVOLUTIONARILY RELATED INSERTION PATHWAYS OF BACTERIAL, MITOCHONDRIAL, AND THYLAKOID MEMBRANE PROTEINS, <i>Ross E. Dalbey and Andreas Kuhn</i>	51
STRUCTURAL BASIS FOR THE INTERACTION OF TUBULIN WITH PROTEINS AND DRUGS THAT AFFECT MICROTUBULE DYNAMICS, <i>Kenneth H. Downing</i>	89
ERM-MERLIN AND EBP 50 PROTEIN FAMILIES IN PLASMA MEMBRANE ORGANIZATION AND FUNCTION, <i>Anthony Bretscher, David Chambers, Rachel Nguyen, and David Reczek</i>	113
MOLECULAR REGULATION OF ADIPOGENESIS, <i>Evan D. Rosen and Bruce Spiegelman</i>	145
GUT FEELINGS: ENTEROPATHOGENIC <i>E. coli</i> (EPEC) INTERACTIONS WITH THE HOST, <i>Danika L. Goosney, Samantha Gruenheid, and B. Brett Finlay</i>	173
BONE DEVELOPMENT, <i>Bjorn Olsen, Anthony M. Reginato, and Wenfang Wang</i>	191
CELLULAR SIGNALING AND VOLUME CONTROL IN STOMATAL MOVEMENTS OF PLANTS, <i>Michael R. Blatt</i>	221
THE DEVELOPMENT AND MOLECULAR BIOLOGY OF GENES THAT SUBDIVIDE THE BODY OF <i>Drosophila</i> , <i>Richard S. Mann, and Gines Morata</i>	243
CAJAL BODIES: THE FIRST 100 YEARS, <i>Joseph Gall</i>	273
EPITHELIAL M CELLS: DIFFERENTIATION AND FUNCTION, <i>Jean-Pierre Kraehenbuhl and Marian R. Neutra</i>	301
MOLECULAR RECOGNITION AND RESPONSE IN POLLEN AND PISTIL INTERACTIONS, <i>Andrew G. McCubbin and Teh-Hui Kao</i>	333

RETINYLIDENE PROTEINS: STRUCTURES AND FUNCTIONS FROM ARCHAEA TO HUMANS, <i>John L. Spudich, Chii-Shen Yang,</i> <i>Kwang-Hwan Jung, and Elena N. Spudich</i>	365
PLASMODESMATA: GATEKEEPERS FOR CELL TO CELL TRANSPORT OF DEVELOPMENTAL SIGNALS IN PLANTS, <i>Patricia Zambryski and</i> <i>Katrina Crawford</i>	393
INTERACTIONS OF PATHOGENIC NEISSERIAE WITH EPITHELIAL CELL MEMBRANES, <i>Alexey J. Merz and Magdalene So</i>	423
THE ROLE OF ORPHAN NUCLEAR RECEPTORS IN THE REGULATION OF CHOLESTEROL HOMEOSTASIS, <i>Joyce J. Repa and David J. Mangelsdorf</i>	459
DYNAMIN AND ITS ROLE IN MEMBRANE FUSION, <i>J. E. Hinshaw</i>	483
STRUCTURE AND REGULATION OF VOLTAGE-GATED Ca^{2+} CHANNELS, <i>William Catterall</i>	521
SECRETORY PROTEIN TRAFFICKING AND ORGANELLE DYNAMICS IN LIVING CELLS, <i>Jennifer Lippincott-Schwartz, Theresa Roberts,</i> <i>and Koret Hirschberg</i>	557
SUMO-NONCLASSICAL UBIQUITIN, <i>Frauke Melchior</i>	591
VIRAL ENTRY INTO THE NUCLEUS, <i>Gary R. Whittaker,</i> <i>Michael Kann, and Ari Helenius</i>	627
THE MYC/MAX/MAD NETWORK AND THE TRANSCRIPTIONAL CONTROL OF CELL BEHAVIOR, <i>Carla Grandori, Shaun M. Cowley,</i> <i>Leonard P. James, and Robert N. Eisenman</i>	653
INDEXES	
Subject Index	701
Cumulative Index of Contributing Authors, Volumes 12-16	735
Cumulative Index of Chapter Titles, Volumes 12-16	737



SUBJECT INDEX

A

Absciscic acid
 ethylene as signal molecule
 in plants and, 7, 13
 stomatal guard cell
 signaling and, 221-34
 Absorption
 orphan nuclear receptors
 and cholesterol
 homeostasis, 461-62
 ACC oxidase
 ethylene as signal molecule
 in plants and, 1, 6, 13-14
 ACC synthase
 ethylene as signal molecule
 in plants and, 1, 5-6,
 13-14
 Acceptor sites
 SUMO and, 609, 619
 Acetyl CoA
 orphan nuclear receptors
 and cholesterol
 homeostasis, 461, 474
Acheta spp.
 Cajal bodies and, 275, 279
 Acidic pathway
 orphan nuclear receptors
 and cholesterol
 homeostasis, 463
 Acquisition
 orphan nuclear receptors
 and cholesterol
 homeostasis, 460-62
 Actinomycin D
 self-incompatibility and,
 345
 Actins
 EPEC/host interactions
 and, 173-84
 ERM-Merlin and EBP50
 protein families, 113-33

Activation
 ERM-Merlin and EBP50
 protein families, 113-33
 Myc/Max/Mad network
 and, 653, 663-65
 Active and particular
 transport
 plant trafficking via
 plasmodesmata and, 403
 Adaptor molecules
 ERM-Merlin and EBP50
 protein families, 113-33
 Adenoids
 epithelial M cells and, 301
 Adenosine triphosphate
 (ATP)
 retinylidene proteins and,
 374
 tubulin interactions and, 99
 Adenoviruses
 virus nuclear entry and,
 627, 634-35
 Adhesins
 EPEC/host interactions
 and, 176
 Neisseria and epithelial
 cells, 423, 441-42
 Adhesion
 EPEC/host interactions
 and, 173-84
 Myc/Max/Mad network
 and, 674-75
 Neisseria and epithelial
 cells, 423, 426, 428,
 439-40
 Adipogenesis
 brown fat differentiation,
 160-62
 C/EBP family, 153-54
 cellular regulation, 157-60
 future research, 162-63

 hormonal regulation,
 157-60
 inducers, 157-59
 inhibitors, 159-60
 introduction, 146-47
 ligands, 153
 manipulation in vivo,
 162-63
 miscellaneous
 transcriptional
 components, 156-57
 PPAR γ , 151-53
 program of adipose cell
 development, 147-51
 transcriptional cascade,
 154-55
 transcriptional control of
 adipose differentiation,
 151
 Agriculture
 ethylene as signal molecule
 in plants and, 1-15
Agrobacterium spp.
 plant trafficking via
 plasmodesmata and, 410
 Airways
 epithelial M cells and,
 301-24
 AKAP proteins
 voltage-gated Ca²⁺
 channels and, 535
 Alanine
 ERM-Merlin and EBP50
 protein families, 125
 retinylidene proteins and,
 379
 tubulin interactions and,
 97, 101
 voltage-gated Ca²⁺
 channels and, 535
 Alf1p protein

- tubulin interactions and, 100-1
- Algae**
retinylidene proteins and, 378-80
- Allomyces reticulatus*
retinylidene proteins and, 378
- Amantadine**
virus nuclear entry and, 642
- Amino acids**
bone development and, 195, 206
Cajal bodies and, 279
dynamin and membrane fission, 483-507
EPEC/host interactions and, 177-80
ERM-Merlin and EBP50 protein families, 125, 129
ethylene as signal molecule in plants and, 4-6, 8-11
membrane protein insertion and, 64
Myc/Max/Mad network and, 663, 680
orphan nuclear receptors and cholesterol homeostasis, 465
plant trafficking via plasmodesmata and, 408
retinylidene proteins and, 368-69, 373-74, 378-82, 384
self-incompatibility and, 337-39, 344-45, 347, 353
SUMO and, 592, 595-96, 598, 601-2, 607, 609, 612-13, 615, 618
tubulin interactions and, 93, 97-98, 100-1
virus nuclear entry and, 636, 641
voltage-gated Ca^{2+} channels and, 525-35
- 1-Aminocyclopropane-1-carboxylic acid (ACC)**
ethylene as signal molecule in plants and, 1-15
- Aminotransferases**
ethylene as signal molecule in plants and, 5
- Amphyphysin**
dynamin and membrane fission, 501-2
- Anchoring**
kinase
voltage-gated Ca^{2+} channels and, 532-33
membrane protein insertion and, 71
- Angiogenesis**
Myc/Max/Mad network and, 674-75
- Angiosperms**
self-incompatibility and, 341
- Anolis carolinensis*
retinylidene proteins and, 382
- Antero-posterior axis**
Drosophila body plan and, 245-50
- Anti-adhesins**
Neisseria and epithelial cells, 441-42
- Antihelminth**
tubulin interactions and, 102
- Antigenic variation**
Neisseria and epithelial cells, 425, 431, 438
- Antigens**
epithelial M cells and, 301-24
- Antimitotic drugs**
tubulin interactions and, 89-107
- Antirrhinum* spp.
plant trafficking via plasmodesmata and, 406
- Aos1/Uba2 enzyme**
SUMO and, 597-99
- AP-2 transcription factor**
bone development and, 194
- Aperture status**
plant trafficking via plasmodesmata and, 393-416
- APETELA1 protein**
plant trafficking via plasmodesmata and, 406
- Apical ectodermal ridge**
bone development and, 197
- Apical epithelial surfaces**
epithelial M cells and, 301-24
Neisseria and epithelial cells, 423-45
- Apoptosis**
epithelial M cells and, 320
Myc/Max/Mad network and, 653-85
- Appendage genes**
Drosophila body plan and, 250-53
apterous gene
Drosophila body plan and, 252-53
- Arabidopsis thaliana*
Cajal bodies and, 279, 287
dynamin and membrane fission, 505
ethylene as signal molecule in plants and, 1-15
plant trafficking via plasmodesmata and, 394, 406, 411-13
self-incompatibility and, 345, 355, 358
stomatal guard cell signaling and, 223, 229-30, 232
- Archaea**
retinylidene proteins and, 365, 374-80
- Architecture**
plant trafficking via

- plasmodesmata and, 394-98
- Arginine
 membrane protein insertion and, 64
 Myc/Max/Mad network and, 663
 self-incompatibility and, 339
 SUMO and, 602
 tubulin interactions and, 97
 virus nuclear entry and, 636
- Asparagine
 bone development and, 195
 self-incompatibility and, 337, 344
- Aspartate
 Cajal bodies and, 279
 retinylidene proteins and, 368-69, 374, 381, 384
 self-incompatibility and, 344
 SUMO and, 613, 615
 tubulin interactions and, 97
- Aspartic acid
 self-incompatibility and, 337
- Aspergillus nidulans*
 retinylidene proteins and, 378
 SUMO and, 594
- Assembly
 membrane protein insertion and, 51, 71-74
Neisseria and epithelial cells, 431-32
 secretory protein trafficking and organelle dynamics in living cells, 561-63, 575-77
- ATPase
 tubulin interactions and, 99
- Attaching and effacing (A/E) lesions
 EPEC/host interactions and, 173-84
- Attachment
Neisseria and epithelial cells, 428-42
- Autophosphorylation
 ethylene as signal molecule in plants and, 9
- Auxins
 ethylene as signal molecule in plants and, 3-6
- Axial skeleton
 bone development and, 195-97
- B**
- Bacteria
 EPEC/host interactions and, 173-84
 epithelial M cells and, 301, 311-15
 ethylene as signal molecule in plants and, 9
 membrane protein insertion and, 51, 55-60
Neisseria and epithelial cells, 423-45
 retinylidene proteins and, 365-85
 voltage-gated Ca^{2+} channels and, 534
- Baculoviruses
 virus nuclear entry and, 637
- Barx1* gene
 bone development and, 194
- Basement membrane
 epithelial M cells and, 306-7
- Benomyl
 tubulin interactions and, 102
- Benzamidazoles
 tubulin interactions and, 102, 107
- Bile acids
 orphan nuclear receptors and cholesterol homeostasis, 459-81
- Bim1p protein
 tubulin interactions and, 100-1
- Binnenkörper
 Cajal bodies and, 275
- Biochemistry
Neisseria and epithelial cells, 423-45
- Biostatic bombardment
 plant trafficking via plasmodesmata and, 410
- Biophysics
Neisseria and epithelial cells, 423-45
- Biotechnology
 ethylene as signal molecule in plants and, 13
- Birds
 retinylidene proteins and, 365-85
- Bisexual flowering plants
 self-incompatibility and, 333-59
- Blood vessels
 invasion into cartilage
 bone development and, 201
- Body plan
Drosophila and, 243-62
- Bone development
 axial skeleton development and disorders, 195-97
 blood vessel invasion into cartilage, 201
 chondrocyte differentiation, 200
 chondrocyte maturation, 201
 chondrogenesis, 200-1
 conclusions, 209
 craniofacial bone development, 193-95
 endochondral bone formation, 200
 extracellular matrix in skeletal development, 206-9

- growth plates and bone growth, 202-5
introduction, 192-93
limb skeleton development and disorders, 197-200
osteoblast differentiation and function, 205-6
skeletal morphogenesis, 193-200
SOX genes, 200-1
- Bone morphogenetic proteins (BMPs)**
bone development and, 196, 198-99, 204
- Botrytis cinerea*
SUMO and, 594
- Bovine viral diarrhea virus (BVDV)**
SUMO and, 595
- Brain**
retinylidene proteins and, 365-85
- Brassica* spp.
self-incompatibility and, 333, 339-58
- Brown fat differentiation**
adipogenesis molecular regulation and, 145, 160-62
- Bryonia* spp.
stomatal guard cell signaling and, 227
- Bufo japonicus*
retinylidene proteins and, 382
- C**
- Ca²⁺ channels**
EPEC/host interactions and, 181
Neisseria and epithelial cells, 435
voltage-gated
 α subunit of skeletal muscle Ca²⁺ channels, 531-32
 β subunit of cardiac Ca²⁺ channels, 535-36
 β subunit of skeletal muscle Ca²⁺ channels, 532
 AKAPs, 535
 Ca²⁺ current types defined by physiological and pharmacological properties, 522-25
 calcium-dependent inactivation and facilitation of cardiac Ca²⁺ channels, 541
 cAMP-dependent protein kinase pathway, 533-34
 cAMP-dependent protein phosphorylation, 530-33
 cardiac Ca²⁺ channels, 533-36, 541-42
 Ca_v1.1 skeletal muscle Ca²⁺ channel regulation by cAMP-dependent protein phosphorylation, 530-33
 Ca_v2 family, 536-40
 Ca_v2.1 channels, 541-42
 conclusions, 544
 diversity, 529-30
 facilitation and enhanced inactivation of Ca_v2.1 channels by binding of Ca²⁺/calmodulin, 541-42
 feedback regulation of Ca²⁺ channels by calcium, 541-42
 G proteins, 536-40
 intracellular effector proteins, 542-44
 introduction, 522
 kinase anchoring, 532-33
 kinetics, 538
 molecular biology, 525-30
 phosphorylation, 530-36
 protein kinase A, 534-36
 protein kinase C, 536, 540
 reversal of G protein modulation by protein kinase C, 540
 ryanodine, 542-43
 skeletal muscle Ca²⁺ channels, 530-33, 542-43
 SNARE proteins, 543-44
 subunit structure and function, 525-28
 stomatal guard cell signaling and, 221, 225-28
- Caenorhabditis elegans*
dynamin and membrane fission, 486
ERM-Merlin and EBP50 protein families, 118
SUMO and, 594
- Cajal bodies**
biogenesis, 282-84
cleavage bodies, 277-78
coilin, 279-80
gems, 277-78
histone pre-mRNA 3'-end processing, 288-89
introduction, 274-75
model of function, 289-94
oocytes, 280-82, 293
pol I, 293
pol II, 290-92
pol III, 293
pre-mRNA processing, 284-89
pre-rRNA processing, 287-88
B-snurposomes, 290-91
somatic nuclei, 275-77
transcriptosomes, 290-91, 293-94

- Calcium
 dynamin and membrane fission, 495-96
 EPEC/host interactions and, 181
Neisseria and epithelial cells, 435
 stomatal guard cell signaling and, 225-28
 synaptic vesicle exocytosis and, 19, 36-38
 voltage-gated Ca^{2+} channels and, 541-42
- Calmodulin
 voltage-gated Ca^{2+} channels and, 541-42
- Candida* spp.
 SUMO and, 594
- Capping
 tubulin interactions and, 96, 104
- Capsids
 virus nuclear entry and, 627-51
- Cardiac muscle
 voltage-gated Ca^{2+} channels and, 533-36, 541-42
- Cargo-specific parameters
 plant trafficking via plasmodesmata and, 393-416
- Cart1* gene
 bone development and, 194
- Cartilage
 bone development and, 191, 201
- Cauliflower mosaic virus (CaMV)
 plant trafficking via plasmodesmata and, 408
- $\text{Ca}_v1.1$ skeletal muscle voltage-gated Ca^{2+} channels and, 530-33
- $\text{Ca}_v1.2$ channel
 voltage-gated Ca^{2+} channels and, 533-36
- Ca_v2 Ca^{2+} channel
 voltage-gated Ca^{2+} channels and, 536-40
- $\text{Ca}_v2.1$ channel
 voltage-gated Ca^{2+} channels and, 541-42
- Ca_v α olae internalization
 dynamin and membrane fission, 483, 498-99
- Cbfa1* gene
 bone development and, 202, 205-6
- CD66 family receptors
Neisseria and epithelial cells, 440
- Cdc yeast septins
 SUMO and, 615
- CDMP1* gene
 bone development and, 198
- C/EBP family
 adipogenesis molecular regulation and, 153-54
- Cell affinities
Drosophila body plan and, 253-55
- Cell cycle
 Myc/Max/Mad network and, 653, 669-71
 secretory protein trafficking and organelle dynamics in living cells, 575-77
 tubulin interactions and, 89-107
 virus nuclear entry and, 627-51
- Cell differentiation
 adipogenesis molecular regulation and, 145, 151-57, 160-62
 bone development and, 191, 200, 205-6
 epithelial M cells and, 302, 320-24
 Myc/Max/Mad network and, 653-85
- Cell membrane
Neisseria and, 423-45
- Cell proliferation
 Myc/Max/Mad network and, 653, 677-78
- Cell surface
 ERM-Merlin and EBP50 protein families, 113-33
- Cell-to-cell transport
 of developmental signals
 plant trafficking via plasmodesmata and, 393-416
- Cellular oscillations
 plant trafficking via plasmodesmata and, 414
- Cell volume control
 stomatal guard cell signaling and, 221-34
- Cell wall
 plant trafficking via plasmodesmata and, 393-416
- Central controllers
 plant trafficking via plasmodesmata and, 411
- cesT* gene
 EPEC/host interactions and, 176
- Chara* spp.
 stomatal guard cell signaling and, 227
- Chemical synaptic transmission
 synaptic vesicle exocytosis and, 19-42
- Chemokines
 epithelial M cells and, 305-6
- Chenodeoxycholic acid (CDCA)
 orphan nuclear receptors and cholesterol homeostasis, 462-63, 465, 472-73
- Chimerae
 green fluorescent protein secretory protein

- trafficking and organelle dynamics in living cells, 557-82
- Chlamydomonas reinhardtii* retinylidene proteins and, 378-80
- Chlamydorhodopsin retinylidene proteins and, 379-80
- 2-Chloroethanephosphonic acid
ethylene as signal molecule in plants and, 4
- Chloroplasts
membrane protein insertion and, 51-75
- Cholesterol homeostasis
orphan nuclear receptors and, 459-81
- Cholic acid
orphan nuclear receptors and cholesterol homeostasis, 462-63, 465, 472-73
- Chondrocytes
bone development and, 191, 200-1
- Chorismate mutase
tubulin interactions and, 93
- Chromatin
Myc/Max/Mad network and, 653-85
- Chromophores
retinylidene proteins and, 365-85
- Citrobacter rodentium*
EPEC/host interactions and, 174-75, 184
- c-Jun* transcription factor
SUMO and, 613
- Cl⁻ channels
stomatal guard cell signaling and, 221-34
- Cleavage
Cajal bodies and, 277-78
SUMO and, 596-603
- Climacteric fruits
ethylene as signal molecule in plants and, 3, 5-6
- CLIP-170 domain
tubulin interactions and, 100
- Closed conformation
synaptic vesicle exocytosis and, 33-34
- cmd* gene
bone development and, 208
- CNI-H0292
virus nuclear entry and, 642
- Coactivators
Drosophila body plan and, 258-60
Myc/Max/Mad network and, 653-85
- Cofactors
Drosophila body plan and, 261-62
ethylene as signal molecule in plants and, 9-10
- Coiled body
Cajal bodies and, 273-94
- Coilin
Cajal bodies and, 273, 279-80
- Colchicine
tubulin interactions and, 101-2, 104-5, 107
- COL* genes
bone development and, 200-1, 206-8
- Colonization
Neisseria and epithelial cells, 423, 438
- Columba livia*
retinylidene proteins and, 382
- Compartments
Drosophila body plan and, 243-45
- Condensations
bone development and, 191-209
- Conjugation
SUMO and, 599-600, 603-5
- Conservative mechanism
membrane protein insertion and, 68-69
- Contraction
voltage-gated Ca²⁺ channels and, 521, 530-36, 541-43
- COP1 protein
secretory protein trafficking and organelle dynamics in living cells, 566-69
- Copy DNA (cDNA)
Cajal bodies and, 279
ethylene as signal molecule in plants and, 6, 13
orphan nuclear receptors and cholesterol homeostasis, 466-67
self-incompatibility and, 344
SUMO and, 598, 602
voltage-gated Ca²⁺ channels and, 536
- Core complex nucleation
synaptic vesicle exocytosis and, 34-35
- Corepressors
Drosophila body plan and, 258-60
Myc/Max/Mad network and, 653, 682
- Cortical plaques
Neisseria and epithelial cells, 436
- Cortical structure
ERM-Merlin and EBP50 protein families, 113-33
- Cranial neural crest
bone development and, 191-209
- Craniofacial bone
development
bone development and, 193-94

- Crosslinking
tubulin interactions and,
99, 102
- C-terminal domain
bone development and,
206
- dynamain and membrane
fission, 483–507
- ERM-Merlin and EBP50
protein families, 113–33
- ethylene as signal molecule
in plants and, 10, 12
- membrane protein insertion
and, 54–55
- SUMO and, 592, 595, 597,
601–3, 618
- tubulin interactions and,
94, 98–100
- virus nuclear entry and,
636, 640–41
- voltage-gated Ca^{2+}
channels and, 540–42
- CTR1* gene
ethylene as signal molecule
in plants and, 1, 7–8,
11–12, 14
- Cu^{2+}
ethylene as signal molecule
in plants and, 10
- Curl
tubulin interactions and,
96, 103
- Cyclic adenosine
monophosphate (cAMP)
voltage-gated Ca^{2+}
channels and, 521,
530–33
- Cyclophilin
orphan nuclear receptors
and cholesterol
homeostasis, 467
- CYP genes
orphan nuclear receptors
and cholesterol
homeostasis, 462–65,
469–75
- Cysteine
ethylene as signal molecule
in plants and, 10
- retinylidene proteins and,
369, 380
- self-incompatibility and,
353
- SUMO and, 602
- Cytomegalovirus (CMV)
SUMO and, 610
- Cytoplasm
membrane protein insertion
and, 51–75
- plant trafficking via
plasmodesmata and,
393–416
- virus nuclear entry and,
640–43
- Cytoskeleton
EPEC/host interactions
and, 173–84
- epithelial M cells and,
307–8
- microtubule
tubulin interactions and,
89–107
- Neisseria* and epithelial
cells, 423–45
- Cytosol
EPEC/host interactions
and, 175–78, 180, 184
- self-incompatibility and,
345
- stomatal guard cell
signaling and, 221–34
- Cytotoxicity
Neisseria and epithelial
cells, 428
- D**
- DEFICIENS protein
plant trafficking via
plasmodesmata and, 405
- Degradation
SUMO and, 591–620
- Delta* gene
bone development and,
195
- Dephosphorylation
self-incompatibility and,
333–59
- Depolarization
membrane
voltage-gated Ca^{2+}
channels and, 521–44
- Deregulation
Myc/Max/Mad network
and, 658–60
- Dermal tissue
retinylidene proteins and,
365–85
- Dermatomyotome
bone development and, 196
- Development
adipogenesis molecular
regulation and, 147–51
- bone and, 191–209
- Drosophila* body plan and,
243–62
- epithelial M cells and,
301–24
- plant trafficking via
plasmodesmata and, 393,
411–14
- Diabetes
adipogenesis molecular
regulation and, 145–63
- Diarrhea
EPEC/host interactions
and, 173, 175, 182–83
- Dictyostelium discoideum*
SUMO and, 594
- Diffusional mobility
of Golgi resident proteins
secretory protein
trafficking and organelle
dynamics in living cells,
571–72
- Digitonin
virus nuclear entry and,
636
- Dimerization
tubulin interactions and,
89–107
- Dinitraniline derivatives

- tubulin interactions and, 102
- Direct membrane insertion pathway**
membrane protein insertion and, 57–59, 61–63
- Disassembly**
virus nuclear entry and, 627–51
- Discodermolide**
tubulin interactions and, 104
- Discrimination**
self/non-self
pollen/pistil interactions and, 333–59
- Disulfide-linked complex**
voltage-gated Ca^{2+} channels and, 521–44
- Diversity**
voltage-gated Ca^{2+} channels and, 529–30
- DI genes**
bone development and, 194–96
- DNA binding**
Myc/Max/Mad network and, 661–68
- DNA-binding specificity**
Drosophila body plan and, 243–62
- DNA recognition**
Drosophila body plan and, 257–58
- DNA transformation**
Neisseria and epithelial cells, 433–34
- Docking**
synaptic vesicle exocytosis and, 39–40
tubulin interactions and, 96
- Domain structure**
tubulin interactions and, 93–94
- Dominance**
ethylene as signal molecule in plants and, 11
- Dormancy**
plant trafficking via plasmodesmata and, 415
- Dorsal transcription factor**
SUMO and, 611
- Double-labeling**
secretory protein trafficking and organelle dynamics in living cells, 557–82
- Drosophila melanogaster***
body plan and
antero-posterior axis, 245–50
antero-posterior compartment border, 246–47
appendage genes, 250–53
apterous, 252–53
cell affinities, 253–55
co-activators, 258–60
co-repressors, 258–60
cofactor-independent Hox functions, 262
compartments, 244–45
distal-less, 251
DNA recognition, 257–58
DV segregation in wing, 252–53
engrailed, 246–47
extradenticle, 249, 251
eyeless, 251–52
future research, 262
genetic domains, 245–50
homothorax, 249, 251
Hox genes, 247–48
Hox-like selector genes, 247–48
Hox proteins, 256–62
imaginal discs, 246–47
introduction, 244–45
iro-C, 248–49
pannier, 248–49
PD axis, 253
phosphorylation-mediated mechanisms, 261
regulated nuclear localization of essential cofactor, 261
regulated recruitment, 258–60
scalloped, 255–56
selector genes, 244–48
selector protein molecular biology, 255–62
specificity, 257–58
subdivision of appendages, 252–53
teashirt, 249, 251
twin of eyeless, 251–52
vestigial, 251, 255–56
bone development and, 200, 205
dynamin and membrane fission, 483–507
ERM-Merlin and EBP50 protein families, 117–18, 131
Myc/Max/Mad network and, 671–72
SUMO and, 594–95, 601, 606, 611, 613–14
- Drp1 protein**
dynamin and membrane fission, 504–5
- Drugs**
tubulin interactions and, 89–107
- DV segregation**
Drosophila body plan and, 252–53
- DXXXK motif**
retinylidene proteins and, 369
- Dynamic instability**
tubulin interactions and, 89–107
- Dynamic regulation**
plant trafficking via

- plasmodesmata and, 412
 secretory protein
 trafficking and organelle
 dynamics in living cells,
 569-77
 SUMO and, 603-5
Dynamin
 membrane fission and
 amphiphysin, 501-2
 assembly onto
 membranes and lipid
 bilayers, 493-95
 calcium binding, 495-96
 Caveolae internalization,
 498-99
 Drp1, 504-5
 dynamin-like proteins,
 503-6
 dynamin partners, 500-3
 endophilin, 502
 fluid-phase pinocytosis,
 498
 GTPase effector domain
 (residues 625-745),
 491-92
 hGBP1, 506
 intersectin, 503
 introduction, 484-88
 membrane binding,
 490-91
 membrane recycling,
 496-500
 Mgm1, 503-4
 middle domain (residues
 300-520), 490
 Mx proteins, 505-6
 PH domain, 490-91
 phospholipids, 503
 phosphorylation, 495-96
 plant phragmoplastin,
 505
 proline-rich domain and
 SH3-binding sites
 (residues 746-864), 492
 receptor-mediated
 endocytosis, 496-98
 self-assembly, 492-95
 signaling proteins,
 500-1
 spirals, 492-93
 summary, 506-7
 synapse, 501-3
 synaptic vesicle
 recycling, 496-98
 synaptojanin, 501-2
 syndapin I, 503
 tetramers, 492-93
 TTP hydrolysis domain
 (residues 1-299) and
 GTPase activity, 488-90
 Vps1, 503-4
 yeast, 503-4
 virus nuclear entry and,
 643
E
E3KARP adaptor molecule
 ERM-Merlin and EBP50
 protein families, 113-33
EBP50 proteins
 plasma membrane and,
 113-33
Effector proteins
 synaptic vesicle exocytosis
 and, 32-33
 voltage-gated Ca^{2+}
 channels and, 542-44
EIL genes
 ethylene as signal molecule
 in plants and, 12
EIN genes
 ethylene as signal molecule
 in plants and, 1, 8, 12-13
Electron transport
 membrane protein insertion
 and, 51-75
Eleutherobin
 tubulin interactions and,
 104
Elimination
 orphan nuclear receptors
 and cholesterol
 homeostasis, 462-65
EMAP protein
 tubulin interactions and, 98
Encephalopsin
 retinylidene proteins and,
 383-84
Endobody
 Cajal bodies and, 275
Endochondral bone formation
 bone development and, 200
Endocrine secretion
 voltage-gated Ca^{2+}
 channels and, 521-44
Endocytosis
 dynamin and membrane
 fission, 483, 496-98
 ERM-Merlin and EBP50
 protein families, 113-33
Endogenous signals
 ethylene as signal molecule
 in plants and, 1, 13-15
Endogenous synthesis
 orphan nuclear receptors
 and cholesterol
 homeostasis, 460
Endophilin
 dynamin and membrane
 fission, 502
Endoplasmic reticulum
 secretory protein
 trafficking and organelle
 dynamics in living cells,
 559-77
Endosomes
 ERM-Merlin and EBP50
 protein families, 126
Energy transfer
 secretory protein
 trafficking and organelle
 dynamics in living cells,
 557-82
engrailed gene
 Drosophila body plan and,
 246-47
Enteropathogenic
 Escherichia coli (EPEC)
 epithelial M cells and, 312
 interactions with host and
 Ca^{2+} debate, 181

- conclusions, 184
diarrhea production, 182-83
EPEC effects on host cell, 178-84
immune response, 181-82
introduction, 174
ion secretion, 181
miscellaneous A/E pathogens, 183-84
pathogenicity islands, 174-78
pedestal formation, 178-80
phagocytic cells, 182
tight junction disruption, 180-81
type III secretion, 174-78
virulence factors, 174-78
- env* gene
virus nuclear entry and, 640
- Environmental factors
ethylene as signal molecule in plants and, 1, 13-15
- Environmental signals
Myc/Max/Mad network and, 653-85
- Enzymes
bone development and, 191-209
Cajal bodies and, 273-94
ethylene as signal molecule in plants and, 1-15
membrane protein insertion and, 51-75
orphan nuclear receptors and cholesterol homeostasis, 459-81
self-incompatibility and, 333-59
SUMO and, 596-603
- Epistasis
ethylene as signal molecule in plants and, 1-15
- Epithelial cells
intestinal
EPEC/host interactions and, 173-84
Neisseria and, 423-45
- Epithelial traversal
Neisseria and epithelial cells, 428
- Epithelium
M cells and, 301-24
- Epothilone
tubulin interactions and, 104
- eral* gene
stomatal guard cell signaling and, 232
- ERF1* gene
ethylene as signal molecule in plants and, 13
- ERM-Merlin and EBP50
protein families
biochemistry, 120-22
cell biology, 120-22
cell structure, 120-22
conformational regulation, 120-22
discovery, 114-17
domain and functional organization of ERM proteins and Merlin, 117-20
E3KARP, 123-25
EBP50, 123-25
endocytic traffic, 125-26
functional relationships, 114-17
introduction, 114
mechanisms of ERM activation and integration into signaling pathways, 126-30
membrane proteins, 123-25
Merlin, 117-33
PDZ-containing adaptors, 123-25
- perspectives, 133
plasma membrane and, 113-33
type 1 plasma membrane proteins, 122-30
- ERS* genes
ethylene as signal molecule in plants and, 8, 10
- Escherichia coli*
enteropathogenic (EPEC)
epithelial M cells and, 312
interactions with host and, 173-84
ethylene as signal molecule in plants and, 5
membrane protein insertion and, 54, 56
self-incompatibility and, 345
virus nuclear entry and, 636-37
- esp* genes
EPEC/host interactions and, 177-78, 182, 184
- Ethylene
signal transduction and plants
biochemistry, 8
biosynthesis, 4
biotechnological applications, 13
future research, 13-15
genetics, 7
introduction, 2
open questions, 13-15
perception, 6-13
physiology of ethylene action, 2-4
- Ethylene-response-element-binding proteins (EREBPs)
ethylene as signal molecule in plants and, 13
- ETR* genes
ethylene as signal molecule in plants and, 1, 8-11, 13

- Eubacteria
 membrane protein insertion
 and, 51-75
- Euglena gracilis*
 retinylidene proteins and,
 379
- Eukaryotes
 Cajal bodies and,
 273-94
 ethylene as signal molecule
 in plants and, 11-12
 retinylidene proteins and,
 374-80
- Evolution
 bone development and,
 191-209
 membrane protein insertion
 and, 51-75
 retinylidene proteins and,
 384
- Exit sites
 endoplasmic reticulum
 secretory protein
 trafficking and organelle
 dynamics in living cells,
 564-65
Neisseria and epithelial
 cells, 423-45
- Exocytosis
 synaptic vesicle
 mechanisms of,
 19-42
 voltage-gated Ca^{2+}
 channels and, 521-44
- Exogenous sources
 orphan nuclear receptors
 and cholesterol
 homeostasis, 461-62
- Extracellular matrix
 bone development and,
 206-9
- extradenticle* gene
Drosophila body plan and,
 243, 249, 251
- eyeless* gene
Drosophila body plan and,
 251-52
- Eyes
 retinylidene proteins and,
 365-85
- Ezrin
 ERM-Merlin and EBP50
 protein families, 113-33
- F**
- F-Actin
 ERM-Merlin and EBP50
 protein families, 113-33
- Fading
 flower
 ethylene as signal
 molecule in plants and,
 13
- Farnesoid X receptor (FXR)
 orphan nuclear receptors
 and cholesterol
 homeostasis, 459, 471-73
- Fat cells
 adipogenesis molecular
 regulation and, 145-63
- Fe^{2+}
 ethylene as signal molecule
 in plants and, 6
- Feedback regulation
 voltage-gated Ca^{2+}
 channels and, 541-42
- FERM domain
 ERM-Merlin and EBP50
 protein families, 113-33
- Fertilization
 self-incompatibility and,
 333-59
- Fetal life
 epithelial M cells and,
 316-17
- Fgfr3* gene
 bone development and, 205
- Fiber assembly proteins
Neisseria and epithelial
 cells, 431-32
- Fibroblast growth factor
 (FGF)
 bone development and,
 204-5, 209
- self-incompatibility and,
 347
- Flanking sequences
 SUMO and, 619
- Flavanone 3-hydroxylase
 ethylene as signal molecule
 in plants and, 6
- Floorplate
 bone development and, 196
- FLORICULA protein
 plant trafficking via
 plasmodesmata and, 406
- Flowering plants
 bisexual
 self-incompatibility and,
 333-59
- Fluctuating gatekeepers
 plant trafficking via
 plasmodesmata and,
 413-14
- Fluid-phase pinocytosis
 dynamin and membrane
 fission, 498
- Fluorescence resonance
 energy transfer (FRET)
 assay
 orphan nuclear receptors
 and cholesterol
 homeostasis, 466-67, 472
- Follicle-associated epithelium
 epithelial M cells and,
 301-7, 320-24
- Food poisoning
 EPEC/host interactions
 and, 183
- Four-helical bundle
 synaptic vesicle exocytosis
 and, 24-26
- Frogs
 retinylidene proteins and,
 365
- Fruits
 ethylene as signal molecule
 in plants and, 1-15
- FtsZ protein
 tubulin interactions and,
 94, 103

- Fungi**
 retinylidene proteins and, 377–80
 SUMO and, 594
- Fungicides**
 tubulin interactions and, 102
- Fusarium sporotrichoides*
 retinylidene proteins and, 378
- Fusion proteins**
 secretory protein trafficking and organelle dynamics in living cells, 557, 579
- Future skeletal elements**
 bone development and, 191–209
- G**
- G proteins**
 voltage-gated Ca^{2+} channels and, 536–40
- gag* gene
 virus nuclear entry and, 640
- Gain-of-function mutation**
 ethylene as signal molecule in plants and, 11
- Gallus gallus*
 retinylidene proteins and, 382
- Gastrointestinal tract**
 epithelial M cells and, 301–24
- Gatekeepers**
 plant trafficking via plasmodesmata and, 393–416
- Gdf5* gene
 bone development and, 198
- Geniniviruses**
 virus nuclear entry and, 639
- Gems**
 Cajal bodies and, 277–78
- Gene-regulatory programs**
 Myc/Max/Mad network and, 653–85
- Generic cargo**
 plant trafficking via plasmodesmata and, 398
- Gene silencing RNAs**
 plant trafficking via plasmodesmata and, 409–11
- Gene targeting**
 Myc/Max/Mad network and, 653, 660–61, 668–75, 678–79, 683
- Genetic instability**
 Myc/Max/Mad network and, 672–74
- Genetics**
 adipogenesis and, 145–63
 bone development and, 191–209
 Cajal bodies and, 273–94
Drosophila body plan and, 243–62
 dynamin and membrane fission, 483–507
 EPEC/host interactions and, 173–84
 epithelial M cells and, 301, 314–19
 ERM-Merlin and EBP50 protein families, 113–33
 ethylene as signal molecule in plants and, 1–15
 Myc/Max/Mad network and, 653–85
Neisseria and epithelial cells, 423, 432
 orphan nuclear receptors and cholesterol homeostasis, 462–75
 plant trafficking via plasmodesmata and, 410
 retinylidene proteins and, 378–79
 self-incompatibility and, 333–59
 stomatal guard cell signaling and, 230–32
 SUMO and, 591–620
 synaptic vesicle exocytosis and, 19–42
 virus nuclear entry and, 627–51
 voltage-gated Ca^{2+} channels and, 521–44
- Genomics**
Neisseria and epithelial cells, 423–45
 plant trafficking via plasmodesmata and, 408
 virus nuclear entry and, 627–51
- Germination**
 ethylene as signal molecule in plants and, 1–15
- GLI3* gene
 bone development and, 199
- Global trafficking**
 plant trafficking via plasmodesmata and, 414–15
- GLOBOSA protein**
 plant trafficking via plasmodesmata and, 406
- Glut1/Glut4 glucose transporters**
 SUMO and, 615
- Glutamate**
 retinylidene proteins and, 368, 381, 384
 SUMO and, 613, 615
 tubulin interactions and, 97
- Glutamic acid**
 Myc/Max/Mad network and, 663
- Glutamine**
 SUMO and, 596
- Glycine**
 bone development and, 206
 retinylidene proteins and, 368
 SUMO and, 592, 595–96, 602, 618
- GMP1 protein**

- SUMO and, 594
- Golgi complex
 dynamin and membrane fission, 483–507
 secretory protein trafficking and organelle dynamics in living cells, 564–79
- Gonococci
Neisseria and epithelial cells, 423–45
- G proteins
 bone development and, 204
 retinylidene proteins and, 367, 374, 380, 382, 384–85
 voltage-gated Ca^{2+} channels and, 521–44
- Gram-negative bacteria
 EPEC/host interactions and, 173–84
- Green fluorescent protein (GFP)
 plant trafficking via plasmodesmata and, 399–404, 408, 414
 secretory protein trafficking and organelle dynamics in living cells, 557–82
- Growth control
 adipogenesis molecular regulation and, 145–63
 bone development and, 191, 202–5
 ERM-Merlin and EBP50 protein families, 113–33
 Myc/Max/Mad network and, 653, 671–72
Neisseria and epithelial cells, 423–45
 plant trafficking via plasmodesmata and, 393–416
- Growth factors
 bone development and, 202–5, 209
- self-incompatibility and, 347
- Growth plates
 bone development and, 191, 202–5
- Gryllotalpa* spp.
 Cajal bodies and, 275
- Gryllus* spp.
 Cajal bodies and, 275
- gsc* gene
 bone development and, 194
- GTPase effector domain
 dynamin and membrane fission, 483, 491–92
- GTPase-activating proteins (GAPs)
 tubulin interactions and, 96, 97
- GTPases
 EPEC/host interactions and, 178–79
 synaptic vesicle exocytosis and, 31–33
 tubulin interactions and, 96–97
- Guard cell signaling
 stomatal
 Ca^{2+} second messenger, 225–28
 conclusions, 233–34
 coordinating ion channel function, 225–31
 coordinating ion transport with membrane traffic, 231–33
 H^+ second messenger, 228–29
 initiating and potentiating $[\text{Ca}^{2+}]_i$ signals, 226–27
 introduction, 222
 miscellaneous hints of membrane traffickings, 232
 oscillations in $[\text{Ca}^{2+}]_i$, 227–28
 pHi interaction with $[\text{Ca}^{2+}]_i$, 229–31
 plasma membrane, 223–24
 protein phosphorylation, 229–31
 second messengers, 225–29
 tonoplasts, 224
 transport mechanics, 223–24
- H**
- H^+ second messenger
 stomatal guard cell signaling and, 221, 228–29
- hairyl* gene
 bone development and, 195
- Halobacterium salinarum*
 retinylidene proteins and, 366, 368, 370–72, 374
- Haplotype specificity
 self-incompatibility and, 336, 338–40, 350–54
- Helicity
 membrane protein insertion and, 71–73
- α -Helicity
 retinylidene proteins and, 365–85
- Heparan sulfate
 proteoglycans (HSPGs)
Neisseria and epithelial cells, 439
 self-incompatibility and, 347
- Hepatitis B virus (HBV)
 virus nuclear entry and, 635–37
- Herpesviruses
 virus nuclear entry and, 627, 631–34
- Heterodimerization
 Myc/Max/Mad network and, 653–85
 SUMO and, 597–99
- Hexamine cobalt

- tubulin interactions and, 98
hGBP1 protein
dynamain and membrane fission, 506
Higher animals
retinylidene proteins and, 380–84
Histidine
bone development and, 195
ethylene as signal molecule in plants and, 9–10
self-incompatibility and, 337, 339
SUMO and, 602
Histogenesis
epithelial M cells and, 317–19
Histone deacetylases
Myc/Max/Mad network and, 681–82
Histone pre-mRNA 3'-end processing
Cajal bodies and, 288–89
Homeostasis
cholesterol
orphan nuclear receptors and, 459–81
Homodimerization
ethylene as signal molecule in plants and, 9, 13
Homologs
retinylidene proteins and, 374–80
homothorax gene
Drosophila body plan and, 249, 251
Hormones
adipogenesis molecular regulation and, 157–60
voltage-gated Ca^{2+} channels and, 521–44
Host cell receptors
Neisseria and epithelial cells, 423, 434–41
Host interactions
EPEC and, 173–84
Hox genes
bone development and, 194, 200
Drosophila body plan and, 243, 247–48, 256–62
Hox-like selector genes
Drosophila body plan and, 247–48
Hp90 protein
EPEC/host interactions and, 176
HT gene
self-incompatibility and, 344, 358
Human guanylate-binding protein 1 (HGBP-1)
dynamain and membrane fission, 483–507
Human immunodeficiency virus type 1 (HIV1)
virus nuclear entry and, 640–42
Hydrolases
SUMO and, 601–3
Hydrophobicity
ethylene as signal molecule in plants and, 9–10
SUMO and, 599
Hypothalamus
retinylidene proteins and, 365–85
- I**
- Ictalurus punctatus*
retinylidene proteins and, 383
IE1/IE2 immediate early proteins
SUMO and, 610
Ihh gene
bone development and, 203–5
Imaginal discs
Drosophila body plan and, 246–47
Immediate early proteins
SUMO and, 610
Immortality
Myc/Max/Mad network and, 672–74
Immune response
EPEC/host interactions and, 173, 181–82
epithelial M cells and, 301, 321–24
Importins
virus nuclear entry and, 627–51
Inducers
adipogenesis molecular regulation and, 157–59
Myc/Max/Mad network and, 657
Inductive sites
immune
epithelial M cells and, 301–24
Influenza virus
virus nuclear entry and, 627, 642–43
Inhibition
adipogenesis molecular regulation and, 159–60
Myc/Max/Mad network and, 677–78
Inositol diphosphate (PIP2)
ERM-Merlin and EBP50 protein families, 113–33
Insects
ethylene as signal molecule in plants and, 8
Insertion pathways
membrane protein insertion and, 51–75
Insulin
SUMO and, 614
Integrins
Neisseria and epithelial cells, 439–40
Intercellular transport
plant trafficking via plasmodesmata and, 393–416
Interleukin 7 (IL-7)

- epithelial M cells and, 317-18
- Interphase
virus nuclear entry and, 627-51
- Intersectin
dynamin and membrane fission, 503
- Intestinal epithelial cells
EPEC/host interactions and, 173-84
epithelial M cells and, 301-24
- Intimate attachment
Neisseria and epithelial cells, 437
- Intimin
EPEC/host interactions and, 176-78, 180, 184
- Intracellular persistence
Neisseria and epithelial cells, 423-45
- Intracellular vesicle transport
synaptic vesicle exocytosis and, 19-42
- Invasins
Neisseria and epithelial cells, 423-45
- Inverse agonists
ethylene as signal molecule in plants and, 11-12
- Ion channels
retinylidene proteins and, 365-85
stomatal guard cell signaling and, 221, 225-33
voltage-gated Ca^{2+} channels and, 521-44
- Ion secretion
EPEC/host interactions and, 173, 181
- iro-C* gene
Drosophila body plan and, 248-49
- ise-1* gene
plant trafficking via plasmodesmata and, 398
- Isomerization
retinylidene proteins and, 365-85
- Isopeptidases
SUMO and, 592, 601-3
- J**
- Joints
bone development and, 191-209
- K**
- $2\text{L}\alpha\text{B}\alpha$ protein
SUMO and, 610-11
- K^+ channels
stomatal guard cell signaling and, 221-34
- Karyopherins
virus nuclear entry and, 627-51
- KIF1A monomer motor
tubulin interactions and, 99-100
- Kinases
ethylene as signal molecule in plants and, 1, 9-12, 14
self-incompatibility and, 333-59
stomatal guard cell signaling and, 221-34
voltage-gated Ca^{2+} channels and, 532-36, 540
- Kinesins
tubulin interactions and, 98
- Kinetic analysis
ethylene as signal molecule in plants and, 6, 14
secretory protein trafficking and organelle dynamics in living cells, 579-81
voltage-gated Ca^{2+} channels and, 538
- KN1 transcription factor
plant trafficking via plasmodesmata and, 404-5
- Knockouts
bone development and, 195
epithelial M cells and, 318-19
orphan nuclear receptors and cholesterol homeostasis, 464, 470-71
- L**
- Large active zone proteins
synaptic vesicle exocytosis and, 39-40
- Large intestine
epithelial M cells and, 301-24
- Lateral plate mesoderm
bone development and, 191-209
- LEAFY protein
plant trafficking via plasmodesmata and, 406
- Learning
synaptic vesicle exocytosis and, 19-42
- Lee region
EPEC/host interactions and, 183
- LEE region
EPEC/host interactions and, 176-77, 183-84
- Lentivirus preintegration complexes
virus nuclear entry and, 627-51
- Lepidium* spp.
stomatal guard cell signaling and, 227
- Leptosphaeria maculans*
retinylidene proteins and, 378
- Life cycles
synaptic vesicle exocytosis and, 21-23
- Life span

- Myc/Max/Mad network
and, 653–85
- Ligands
adipogenesis molecular
regulation and, 153
bone development and, 205
self-incompatibility and,
333–59
SUMO and, 591, 596–603
tubulin interactions and,
89–107
- Light-driven ion transport
retinylidene proteins and,
365–85
- Limb skeleton
bone development and,
197–200
- Linkage analysis
ERM-Merlin and EBP50
protein families, 113–33
- Lipid bilayers
dynamism and membrane
fission, 493–95
- Lipid signaling
Neisseria and epithelial
cells, 439
- Listeria monocytogenes*
EPEC/host interactions
and, 173–84
- Liver receptor homologue-1
(LRH-1)
orphan nuclear receptors
and cholesterol
homeostasis, 473
- Liver X receptors
(LXR α /LXR β)
orphan nuclear receptors
and cholesterol
homeostasis, 459–81
- Living cells
secretory protein
trafficking and organelle
dynamics, 557–82
- Lizards
retinylidene proteins and,
365–85
- LMX1B* gene
bone development and, 197
- Localization
Drosophila body plan and,
261
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
SUMO and, 591–620
- Loss-of-function mutations
ethylene as signal molecule
in plants and, 8
- L-type currents
Ca²⁺
voltage-gated Ca²⁺
channels and, 521–44
- Lumen
secretory protein
trafficking and organelle
dynamics in living cells,
560–61
- lunatic fringe* gene
bone development and,
195
- Lycopersicon* spp.
self-incompatibility and,
336, 343
- Lymphoid tissues
epithelial M cells and, 301,
315–19
- Lysine
retinylidene proteins and,
368–69, 378–80, 382, 384
SUMO and, 592, 595, 609,
612–13, 618–19
tubulin interactions and,
97–98, 100
- Lysosomes
ERM-Merlin and EBP50
protein families, 126
- M**
- mad1* gene
Myc/Max/Mad network
and, 678–79
- MADS domain proteins
plant trafficking via
plasmodesmata and,
405–6
- Major relay centers
for global trafficking
plant trafficking via
plasmodesmata and,
414–15
- Mammalian cells
retinylidene proteins and,
365, 380–84
SUMO and, 604–5
synaptic vesicle exocytosis
and, 39
- MAP kinases
ethylene as signal molecule
in plants and, 11–12
- Matrix metalloproteinases
bone development and,
194, 202
- Maturation
chondrocyte
bone development and,
201
- Mature isolation
plant trafficking via
plasmodesmata and, 411
- M cells
epithelial
basement membrane,
306–7
chemokines, 305–6
cytoskeleton, 307–8
development of
mucosa-associated
lymphoid tissue,
315–19
differentiation, 320–24
follicle-associated
epithelium, 302–7,
320–24
formation, 320–24
immune cells, 321–24
immunologic sentinels
of mucosal surfaces,
302–3
microbial-M cell
interactions, 311–15

- molecular mechanisms, 317-19
 ontogeny, 320-24
 organized mucosal lymphoid follicles, 302-3
 Peyer's patch
 development in fetal life, 316-17
 Peyer's patch histogenesis, 317-19
 phenotype, 307
 surface features, 308-10
 transcytotic pathway, 310-11
- Mdm2 protein
 SUMO and, 612-13
- Mechanical signals
 Neisseria and epithelial cells, 436-37
- Melanopsin
 retinylidene proteins and, 383-84
- Membrane binding
 dynamin and membrane fission, 490-91
- Membrane-bound
 transcription factors
 orphan nuclear receptors and cholesterol
 homeostasis, 459-81
- Membrane fusion
 synaptic vesicle exocytosis and, 19, 23-38
- Membrane protein insertion
 evolutionarily-related pathways of
 anchoring, 71
 assembly of membrane proteins, 71-74
 bacterial membrane protein insertion, 55-60
 classification of membrane proteins, 53
 conclusions, 74-75
 conservative mechanism, 68-69
- direct membrane insertion pathway, 57-63
 folding of transmembrane helices, 71
 introduction, 52-53
 mitochondrial inner membrane proteins, 64-69
 oligomeric assembly of membrane complexes, 73-74
 orientation of membrane proteins, 69-70
 packing of transmembrane helices, 72-73
 SRP-Sec pathways, 56-57, 63-64
 stop-transfer insertion, 66-67
 thylakoids, 60-64
 TIM22 pathway, 67-68
 topogenic sequences, 53-54
 translocation of proteins across membranes, 54-55
 twin arginine pathway, 64
 YidC, 59-60
- Membrane proteins
 ERM-Merlin and EBP50 protein families, 113-33
- Membrane recycling
 dynamin and membrane fission, 496-500
- Membrane voltage
 stomatal guard cell signaling and, 221-34
- Memory
 synaptic vesicle exocytosis and, 19-42
- Meningococci
 Neisseria and epithelial cells, 423-45
- Meristems
 plant trafficking via plasmodesmata and, 412-13
- Merlin protein
 plasma membrane and, 113-33
- Mesenchymal condensations
 bone development and, 191-209
- Mesp2* gene
 bone development and, 195
- Messenger RNA (mRNA)
 Cajal bodies and, 273-94
 ethylene as signal molecule in plants and, 6, 12
- Myc/Max/Mad network and, 658
 orphan nuclear receptors and cholesterol
 homeostasis, 469, 471-72
- plant trafficking via plasmodesmata and, 409
 retinylidene proteins and, 384
 self-incompatibility and, 341, 346
- Metabolism
 bile acid
 orphan nuclear receptors and cholesterol
 homeostasis, 459-81
- Metalloproteases
 bone development and, 194, 202
- Methionine
 ethylene as signal molecule in plants and, 4-5
 5'-Methylthioadenosine
 ethylene as signal molecule in plants and, 4
- Mga protein
 Myc/Max/Mad network and, 653-85
- Mgm1 protein
 dynamin and membrane fission, 503-4

- Michaelis-Menten kinetics
ethylene as signal molecule
in plants and, 6
- Microfilaments
ERM-Merlin and EBP50
protein families, 113–33
- Microsomes
orphan nuclear receptors
and cholesterol
homeostasis, 463
- Microtubule-associated
proteins (MAPs)
tubulin interactions and,
89–107
- Microtubules
tubulin interactions and,
89–107
virus nuclear entry and,
627–51
- MIF2 gene
SUMO and, 593
- Minimal consensus site for
modification
SUMO and, 618
- Mitochondria
membrane protein insertion
and, 51, 64–69
orphan nuclear receptors
and cholesterol
homeostasis, 464
- Mitogenic signals
Myc/Max/Mad network
and, 657
- Mitosis
secretory protein
trafficking and organelle
dynamics in living cells,
575–77
tubulin interactions and,
89–107
- M loops
tubulin interactions and,
95, 102–3
- Mnt protein
Myc/Max/Mad network
and, 653–85
- MOD gene
self-incompatibility and,
358
- Modifier loci
self-incompatibility and,
343–44
- Modulator proteins
Neisseria and epithelial
cells, 441–42
- Modules
Myc/Max/Mad network
and, 653, 683–85
- Moesin
ERM-Merlin and EBP50
protein families, 113–33
- Molecular architecture
epithelial M cells and,
301–24
- Molecular
recognition/response
self-incompatibility and,
333–59
- Molecular syringe
EPEC/host interactions
and, 173–84
- Monomers
tubulin interactions and,
94, 99
- Morphology
bone development and,
193–209
Drosophila body plan and,
243–62
ethylene as signal molecule
in plants and, 3, 5–6
Myc/Max/Mad network
and, 653–85
Neisseria and epithelial
cells, 426–27
secretory protein
trafficking and organelle
dynamics in living cells,
570–71
- Movement proteins
plant trafficking via
plasmodesmata and,
400–1, 405
- Mucosa
Neisseria and epithelial
cells, 423–45
- Mucosal immunity
epithelial M cells and,
301–24
- Multiprotein corepressor
complex
Myc/Max/Mad network
and, 682
- Multistep adhesion cascade
Neisseria and epithelial
cells, 423–45
- Muscle contraction
voltage-gated Ca^{2+}
channels and, 521,
530–36, 541–43
- Mx proteins
dynamidin and membrane
fission, 505–6
virus nuclear entry and,
643
- mxl* gene
Myc/Max/Mad network
and, 678–80
- Myc/Max/Mad network
Mad protein family
biological functions,
675–76
blockage of
proliferation, 677–78
common gene targets of
Myc and Mad, 683
histone deacetylases,
681–82
inhibition of
transformation, 677–78
Mad expression, 676–77
mad1, 678–79
mSin3, 682
multiprotein corepressor
complex, 682
mxl1, 678–80
Sin3, 680–82
targeted deletions,
678–79
transcriptional
repression, 680–82

- tumor suppression,
679–80
- myc*
- angiogenesis, 674–75
- biological functions,
656, 668–69
- cell adhesion, 674–75
- cell cycle, 669–71
- cell growth, 671–72
- death, 672–74
- deregulation in tumors,
658–60
- DNA binding, 661–68
- genetic instability,
672–74
- immortality, 672–74
- induction by mitogenic
signals, 657
- Myc-Max heterodimers,
661–68
- Myc target genes,
668–69
- overexpression, 657–58
- perspectives, 675
- structure, 661–63
- targeted deletions,
660–61
- transactivation, 665–67
- transcription, 661–68
- transcription activation
and Myc box II riddle,
663–65
- transcriptional
repression, 667–68
- transcriptional targets of
Myc-Max, 668–75
- overview, 654–56
- transcription module,
683–85
- N**
- Natronobacterium pharaonis*
retinylidene proteins and,
370–71, 376
- Neisseria* spp.
epithelial cell membranes
and
- adhesins, 441–42
- adhesion, 426–28,
439–42
- anti-adhesins, 441–42
- antigenic variation, 431,
438
- attachment, 428–42
- Ca²⁺, 435
- CD66 family receptors,
440
- colonization, 438
- conclusions, 444–45
- cortical plaques, 436
- cytotoxicity, 428
- DNA transformation,
433–34
- epithelial traversal, 428
- fiber assembly proteins,
431–32
- genetics, 425–26
- gonococcal
pathogenesis, 424–25
- heparan sulfate
proteoglycan receptors,
439
- host cell receptors,
434–41
- integrins, 439–40
- intimate attachment, 437
- intracellular life, 428
- introduction, 424–28
- invasion, 426, 428–42
- lipid signaling, 439
- mechanical signals,
436–37
- meningococcal
pathogenesis, 425
- morphology of infection
process, 426–27
- Opa proteins, 437–40
- Opc protein, 440–41
- passage across
epithelium, 443–44
- pilC* genes, 432
- pilin, 430–32
- pilus loss, 437
- pilus retraction, 433–34
- polymeric fiber
structure, 430–31
- porins, 442
- prospects, 444–45
- signal transduction,
435–40
- twitching motility,
433–34
- type IV pili, 428–37
- uptake, 439–40
- vacuoles, 443–44
- vitronectin, 439–40
- Neural tube
bone development and,
196
- Neurons
synaptic vesicle exocytosis
and, 23–24
- Neurospora crassa*
retinylidene proteins and,
368, 377
- Neurotransmitters
synaptic vesicle exocytosis
and, 19–42
- Neutral pathway
orphan nuclear receptors
and cholesterol
homeostasis, 463
- NF2* tumor suppressor gene
ERM-Merlin and EBP50
protein families, 113–33
- Nicotiana* spp.
stomatal guard cell
signaling and, 223,
230–31
- Non-autonomous regulation
plant trafficking via
plasmodesmata and, 411
- Non-targeted movement
plant trafficking via
plasmodesmata and,
401–3
- NOP-1 protein
retinylidene proteins and,
368–69, 377–78
- Northern blot analysis
orphan nuclear receptors

- and cholesterol homeostasis, 467
- Notch* gene
 - bone development and, 195
- Notochord
 - bone development and, 196
- Notophthalmus* spp.
 - Cajal bodies and, 275, 286, 288–89
- Nramp protein family
 - ethylene as signal molecule in plants and, 12
- NR* gene
 - ethylene as signal molecule in plants and, 11
- NS2-3 protein
 - SUMO and, 595
- nSec1 protein
 - synaptic vesicle exocytosis and, 19, 31, 33–34
- NSF protein
 - synaptic vesicle exocytosis and, 19, 35–36
- NTCP protein
 - orphan nuclear receptors and cholesterol homeostasis, 462
- N-terminal domain
 - ERM-Merlin and EBP50 protein families, 113–33
 - ethylene as signal molecule in plants and, 10
 - membrane protein insertion and, 54–55
 - SUMO and, 595, 597, 601, 618
 - tubulin interactions and, 94
 - voltage-gated Ca^{2+} channels and, 536, 540
 - virus nuclear entry and, 640, 643
- Nt-Syr1 protein
 - stomatal guard cell signaling and, 231–33
- N-type currents
 - Ca^{2+} voltage-gated Ca^{2+} channels and, 521–44
- Nuclear import
 - virus nuclear entry and, 627–51
- Nuclear magnetic resonance (NMR)
 - SUMO and, 596
- Nuclear organelles
 - Cajal bodies and, 273–94
- Nuclear pore complex
 - virus nuclear entry and, 627–51
- Nuclear receptors
 - sterol balance and, 459–81
- Nuclear speckle retention signal
 - SUMO and, 613
- Nucleation
 - EPEC/host interactions and, 173–84
- Nucleolus
 - Cajal bodies and, 273–94
- Nucleotide-binding sites
 - tubulin interactions and, 96
- Nucleus
 - viral entry into, 627–44
- Nutrients
 - plant trafficking via plasmodesmata and, 393–416
- O**
- Obesity
 - adipogenesis molecular regulation and, 145–63
- Octopus bimaculoides*
 - retinylidene proteins and, 382
- Okadaic acid
 - Cajal bodies and, 279
- Oligomeric assembly
 - membrane protein insertion and, 73–74
- Oncogenes
 - Myc/Max/Mad network and, 653–85
- Onco-retroviruses
 - virus nuclear entry and, 627–51
- Ontogeny
 - epithelial M cells and, 320–24
- Oocytes
 - Cajal bodies and, 280–82
- Op18 protein
 - tubulin interactions and, 101
- Opa protein
 - Neisseria* and epithelial cells, 423, 437–40
- Opc protein
 - Neisseria* and epithelial cells, 423, 440–41
- Opsins
 - retinylidene proteins and, 382–84
- Organelles
 - membrane protein insertion and, 51–75
 - nuclear
 - Cajal bodies and, 273–94
 - secretory protein trafficking and, 557–82
- Organogenesis
 - bone development and, 191–209
- Organ senescence
 - ethylene as signal molecule in plants and, 1–15
- Organ shedding
 - ethylene as signal molecule in plants and, 7
- Orphan nuclear receptors
 - cholesterol homeostasis and
 - assays, 466–67
 - cholesterol absorption, 461–62
 - cholesterol acquisition by endogenous synthesis, 460
 - cholesterol acquisition

- from exogenous sources, 461–62
 cholesterol elimination through bile acid biosynthesis, 462–65
 conclusions, 475
 farnesoid X receptor, 471–73
 introduction, 460–65
 liver receptor homologue-1, 473
 LXR α /LXR β receptors, 467–71
 nuclear hormone receptors, 465–74
 retinoid X receptors, 473
 summary, 475
 whole-body cholesterol homeostasis, 465
- Oscillations**
 Ca²⁺
 stomatal guard cell signaling and, 221, 227–28
- Ossification**
 bone development and, 191–209
- Osteoblasts**
 bone development and, 191, 205–6
- Overexpression**
 Myc/Max/Mad network and, 657–58
- Oxal protein**
 membrane protein insertion and, 51–75
- Oxidative phosphorylation**
 membrane protein insertion and, 51–75
- Oxysterols**
 orphan nuclear receptors and cholesterol homeostasis, 459–81
- P**
- p53 protein
 SUMO and, 611–12
- p80-coilin
 Cajal bodies and, 273–94
- Packing**
 membrane protein insertion and, 72–73
- Paclitaxel**
 tubulin interactions and, 102
- pannier gene**
Drosophila body plan and, 248–49
- Papaveraceae**
 self-incompatibility and, 333, 344–49
- Papovaviruses**
 virus nuclear entry and, 638–39
- Parapinopsin**
 retinylidene proteins and, 383–84
- Parathyroid hormone-related protein (PTHrP)**
 bone development and, 203–4
- Parvoviruses**
 virus nuclear entry and, 639
- Passive but prominent movement**
 plant trafficking via plasmodesmata and, 401–3
- Pathogenicity islands**
 EPEC/host interactions and, 174–78
- Pathogens**
 EPEC/host interactions and, 173–84
 epithelial M cells and, 301–24
Neisseria and epithelial cells, 423–45
 plant trafficking via plasmodesmata and, 393–416
- Patterning**
 bone development and, 191–209
- Pax genes**
 bone development and, 194–97
- PD10 bodies**
 SUMO and, 608, 613
- PD axis**
Drosophila body plan and, 253
- Pdn gene**
 bone development and, 199
- PDZ domain**
 ERM-Merlin and EBP50 protein families, 113–33
- Pedestal structure formation**
 EPEC/host interactions and, 173, 178–80, 184
- Perception**
 ethylene as signal molecule in plants and, 6–13
- Peropsin**
 retinylidene proteins and, 383–84
- PEST sequences**
 SUMO and, 616, 618
- Petromyzon marinus*
 retinylidene proteins and, 382
- Petunia* spp.
 self-incompatibility and, 336–37, 339, 343, 346, 348
- Peyer's patches**
 epithelial M cells and, 301–24
- pH**
 cytosolic
 stomatal guard cell signaling and, 221, 229–31
- Phagocytosis**
 EPEC/host interactions and, 173, 182
- Phagosomes**
Neisseria and epithelial cells, 423–45

- Phase variation
Neisseria and epithelial cells, 425
- Phenotype
 epithelial M cells and, 307
 ethylene as signal molecule in plants and, 8
 SUMO and, 602
- Phenylalanine
 retinylidene proteins and, 369
- Phloem proteins
 plant trafficking via plasmodesmata and, 406–8
- Phosphatases
 stomatal guard cell signaling and, 221–34
- Phosphate
 tubulin interactions and, 103
- Phosphatidic acid
 stomatal guard cell signaling and, 232
- Phospholipids
 dynamin and membrane fission, 503
- Phosphorylation
 Cajal bodies and, 273–94
Drosophila body plan and, 261
 dynamin and membrane fission, 495–96
 ERM-Merlin and EBP50 protein families, 113–33
 membrane protein insertion and, 51–75
 self-incompatibility and, 333–59
 stomatal guard cell signaling and, 229–31
 synaptic vesicle exocytosis and, 40–42
 voltage-gated Ca^{2+} channels and, 521, 530–36
- Photobleaching
 secretory protein trafficking and organelle dynamics in living cells, 557–82
- Photosignal transduction
 retinylidene proteins and, 365–85
- Phototaxis receptors
 retinylidene proteins and, 365, 378–80
- Phragmoplastin
 dynamin and membrane fission, 505
- Physiology
 plant trafficking via plasmodesmata and, 414–15
- Pichia pastoris*
 retinylidene proteins and, 377
- Pigmentation
 visual
 retinylidene proteins and, 380–82
- pilC* genes
Neisseria and epithelial cells, 432
- Pili
 type IV
Neisseria and epithelial cells, 423, 428–37
- Pilin
Neisseria and epithelial cells, 430–32
- Pineal gland
 retinylidene proteins and, 365–85
- Pinocytosis
 fluid-phase
 dynamin and membrane fission, 498
- Pinopsins
 retinylidene proteins and, 382
- PISTILLATA protein
 plant trafficking via plasmodesmata and, 406
- Pistils
 self-incompatibility and, 333–59
- Pisum sativum*
 Cajal bodies and, 279
- PITP proteins
 synaptic vesicle exocytosis and, 36
- Plant geminiviruses
 virus nuclear entry and, 639
- Plants
 dynamin and membrane fission, 505
 ethylene as signal molecule and, 1–15
 self-incompatibility and, 333–59
 trafficking via plasmodesmata and, 393–416
- Plasma membrane
 dynamin and membrane fission, 483–507
 EPEC/host interactions and, 173–84
 ERM-Merlin and EBP50 protein families, 113–33
 secretory protein trafficking and organelle dynamics in living cells, 577–79
 stomatal guard cell signaling and, 223–24
- Plasmodesmata
 plant traffic via
 active and particular transport, 403
 architecture, 394–98
 cellular oscillations, 414
 central controllers of non-autonomous regulation, 411
 development, 411–14
 dormancy, 415
 dynamic regulation, 412–13

- fluctuating gatekeepers, 413-14
functional states, 398-400
gene silencing RNAs, 409-11
generic cargo, 398
major relay centers for global trafficking, 414-15
mature isolation, 411
meristems, 412-13
mRNA transport, 409
non-targeted movement, 401-3
passive but prominent movement, 401-3
perspectives, 415-16
phloem proteins, 406-8
plant physiology, 414-15
protein movement, 405-8
RNA transport, 408-11
short winter nights, 415
simple rules governing transportability of macromolecules, 403-5
sinks, 414-15
sources, 414-15
targeted transport, 403
trafficking macromolecules, 405-11
transcription factors, 405-6
two mechanisms of protein movement, 400-3
viral genomes, 408
viral membrane proteins, 405
youthful communication, 411
- Plasticity
synaptic vesicle exocytosis and, 19-42
- Pleckstrin homology (PH) domain
dynamin and membrane fission, 483, 490-91
- PML protein
SUMO and, 608-9
- PODs
SUMO and, 608, 613
- pol III transcripts
Cajal bodies and, 273-94
- pol* gene
virus nuclear entry and, 640
- Pollen/pistil interactions
self-incompatibility and, 333-59
- Polycistronic operons
EPEC/host interactions and, 176-77
- Polycomb group genes
bone development and, 194
- Polymeric fibers
Neisseria and epithelial cells, 430-31
- Polymerization
EPEC/host interactions and, 173-84
tubulin interactions and, 98
- Polymorphisms
self-incompatibility and, 333, 349-50
- Polyoma viruses
virus nuclear entry and, 627-51
- Pores
virus nuclear entry and, 627-51
voltage-gated Ca^{2+} channels and, 521-44
- Porins
Neisseria and epithelial cells, 442
- Post-Golgi carriers
secretory protein trafficking and organelle dynamics in living cells, 577-79
- Posttranslational modification
SUMO and, 591-620
- PPAR γ element
adipogenesis molecular regulation and, 151-53
- Pre-mRNA processing
Cajal bodies and, 284-89
- Pre-rRNA processing
Cajal bodies and, 287-88
- Preadipocytes
adipogenesis molecular regulation and, 145-63
- Preassembly
Cajal bodies and, 273-94
- Pre-Golgi intermediates
secretory protein trafficking and organelle dynamics in living cells, 565-66
- Preintegration complexes
virus nuclear entry and, 627-51
- Priming
synaptic vesicle exocytosis and, 35-36
- Prokaryotes
retinylidene proteins and, 365-85
- Proline
dynamin and membrane fission, 483-507
SUMO and, 596, 615, 618
- Proteasomes
SUMO and, 592, 620
- Protein cycling pathways
secretory protein trafficking and organelle dynamics in living cells, 572-73
- Protein folding
membrane protein insertion and, 71
secretory protein trafficking and organelle dynamics in living cells, 561-63

- Protein kinase A (PKA)
voltage-gated Ca^{2+}
channels and, 534–36
- Protein kinase C (PKC)
EPEC/host interactions
and, 180
voltage-gated Ca^{2+}
channels and, 536–540
- Protein kinases
stomatal guard cell
signaling and, 221–34
voltage-gated Ca^{2+}
channels and, 532–36,
540
- Protein phosphatases
stomatal guard cell
signaling and, 221–34
- Protein-protein interactions
SUMO and, 591–620
- Proteins
bone development and,
191–209
ERM-Merlin and EBP50
protein families, 113–33
membrane protein insertion
and, 51–75
Myc/Max/Mad network
and, 653–85
plant trafficking via
plasmodesmata and,
393–416
retinylidene proteins and,
365–85
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
SUMO and, 591–620
synaptic vesicle exocytosis
and, 19–42
tubulin interactions and,
89–107
voltage-gated Ca^{2+}
channels and, 521–44
- Protofilaments
tubulin interactions and,
94, 96, 101, 103–4
- Prox-1* gene
epithelial M cells and, 316
- Pseudogenes
SUMO and, 595, 601
- Pseudomonas aeruginosa*
Neisseria and epithelial
cells, 433
- P/Q-type currents
 Ca^{2+}
voltage-gated Ca^{2+}
channels and, 521–44
- P-type currents
 Ca^{2+}
voltage-gated Ca^{2+}
channels and, 521–44
- Pyridoxal phosphate
ethylene as signal molecule
in plants and, 4–5, 8–13
- Pyrus serotina*
self-incompatibility and,
338
- Q**
- Q-type currents
 Ca^{2+}
voltage-gated Ca^{2+}
channels and, 521–44
- Quantitation
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
- R**
- Rab3a protein
synaptic vesicle exocytosis
and, 19, 31–33
- Radixin
ERM-Merlin and EBP50
protein families, 113–33
- rae28* gene
bone development and,
194
- Raf kinase
ethylene as signal molecule
in plants and, 1, 11, 14
- RAN1* gene
ethylene as signal molecule
in plants and, 10
- RanBP2 protein
SUMO and, 607–8
- RanGAP1 protein
SUMO and, 605–7
- RANK receptor
epithelial M cells and, 318
- Rbl2p protein
tubulin interactions and,
101
- Receptor kinases
self-incompatibility and,
333–59
- Receptor-mediated
endocytosis
dynamin and membrane
fission, 483, 496–98
- Receptors
bone development and,
202, 204–5
epithelial M cells and,
317–18
ethylene as signal molecule
in plants and, 1, 14
Neisseria and epithelial
cells, 423, 434–41
orphan nuclear
cholesterol homeostasis
and, 459–81
retinylidene proteins and,
365, 378–80
SUMO and, 620
synaptic vesicle exocytosis
and, 19–42
- Recycling
dynamin and membrane
fission, 483, 496–500
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
- Regionalization
Drosophila body plan and,
243–62
- Regulated nuclear
localization

- Drosophila* body plan and, 261
- Regulated recruitment
Drosophila body plan and, 258–60
- Regulation
 adipogenesis and, 145–63
 Ca²⁺ channel
 voltage gating and, 521–44
 dynamin and membrane fission, 492–95
 ethylene as signal molecule in plants and, 1–15
 Myc/Max/Mad network and, 653–85
 orphan nuclear receptors and cholesterol homeostasis, 459–81
 plant trafficking via plasmodesmata and, 393–416
 SUMO and, 591–620
 synaptic vesicle exocytosis and, 19–42
- Remodeling
 bone development and, 191, 209
 secretory protein trafficking and organelle dynamics in living cells, 572
- Replication
 virus nuclear entry and, 627–51
- Reporter assay
 orphan nuclear receptors and cholesterol homeostasis, 466
- Reporter groups
 retinylidene proteins and, 373–74
 secretory protein trafficking and organelle dynamics in living cells, 557–82
- Repression
 Myc/Max/Mad network and, 653, 667–68, 680–82
- Retention
 secretory protein trafficking and organelle dynamics in living cells, 557, 561–63
- Retinal
 retinylidene proteins and, 365, 372–73
- Retinochromes
 retinylidene proteins and, 382–83
- Retinoic acid
 bone development and, 204
- Retinoid receptors (RXRs)
 orphan nuclear receptors and cholesterol homeostasis, 459, 473
- Retinylidene proteins
 algae, 378–80
 Archaea, 374–80
 chlamydochromophore, 379–80
 chromophore as endogenous reporter group, 373–74
 conclusions, 384–85
 encephalopsin, 383–84
 eukaryotic microbes, 374–80
 fungi, 377–80
 helix positions from crystallography, 370–72
 higher animals, 380–84
 homologs, 374–80
 introduction, 366–67
 light-induced transformations, 373–74
 melanopsin, 383–84
 membrane topology, 367–70
 opsins, 382–84
 overview, 366–67
 parainopsin, 383–84
 peropsin, 383–84
 perspectives, 384–85
 phototaxis receptors, 378–80
 pinopsins, 382
 primary structure, 367–70
 retinal, 372–73
 retinochromes, 382–83
 RGR opsins, 382
 structures, 367–74
 VA opsin, 383–84
 visual pigments, 380–82
 volvoxrhodopsin, 379–80
 yeast, 377–78
- Retraction
 pilus
 Neisseria and epithelial cells, 433–34
- Retroelements
 self-incompatibility and, 354
- Retrograde transport
 secretory protein trafficking and organelle dynamics in living cells, 574–75
- Retroviruses
 virus nuclear entry and, 627–51
- RGR opsins
 retinylidene proteins and, 382
- Rhodopsin
 retinylidene proteins and, 365–85
- Rho proteins
 ERM-Merlin and EBP50 protein families, 113–33
- Ribonucleoprotein complexes
 virus nuclear entry and, 642–43
- Ribosomal RNA (rRNA)
 Cajal bodies and, 273–94
 self-incompatibility and, 341
- Ribosomes
 Cajal bodies and, 273–94
- RING finger domain
 SUMO and, 612–13

- Rings
 dynamin and membrane fission, 483–507
- Ripening
 ethylene as signal molecule in plants and, 1, 13–14
- RMS deviation
 tubulin interactions and, 94
- RNA polymerases
 Cajal bodies and, 273–94
- RNA processing
 Cajal bodies and, 273–94
- RNases
 self-incompatibility and, 333–59
- RNA trafficking
 plant trafficking via plasmodesmata and, 393–416
- RNA transport
 plant trafficking via plasmodesmata and, 408–11
- RNA viruses
 virus nuclear entry and, 643
- R-type currents
 Ca²⁺
 voltage-gated Ca²⁺ channels and, 521–44
- Runt* gene
 bone development and, 205
- Ryanodine
 stomatal guard cell signaling and, 226
 voltage-gated Ca²⁺ channels and, 542–43
- S**
- Saccharomyces cerevisiae*
 Myc/Max/Mad network and, 665, 672, 680–81
 retinylidene proteins and, 378
 SUMO and, 593–94, 597–99, 601–6, 614–15, 617
- SALL1* gene
 bone development and, 200
- Salmo salar*
 retinylidene proteins and, 383
- Salmonella* spp.
 EPEC/host interactions and, 184
 epithelial M cells and, 312–13
Neisseria and epithelial cells, 425
- Salt bridges
 retinylidene proteins and, 369, 374, 382
- Sarcodictyins
 tubulin interactions and, 104
- scalloped* gene
Drosophila body plan and, 255–56
- Schiff base linkages
 retinylidene proteins and, 368–69, 373–75, 379–82, 384
- Schizosaccharomyces pombe*
 SUMO and, 594, 599, 604, 617
- Scintillation proximity assay (SPA)
 orphan nuclear receptors and cholesterol homeostasis, 466
- Sclerotomes
 bone development and, 51–75
- SCR/SP11* gene
 self-incompatibility and, 333–59
- Sec6/8 complex
 synaptic vesicle exocytosis and, 38–39
- Sec translocase
 bone development and, 51–75
- Second messengers
 ethylene as signal molecule in plants and, 12
 stomatal guard cell signaling and, 225–29
 voltage-gated Ca²⁺ channels and, 521–44
- Secretory protein trafficking
 organelle dynamics in living cells and
 assembly, 561–63
 breakdown, 575–77
 cell cycle, 575–77
 COPI protein, 566–69
 diffusional mobility of Golgi resident proteins, 571–72
 endoplasmic reticulum exit sites, 564–65
 endoplasmic reticulum, 559–63
 endoplasmic reticulum to Golgi transport, 564–69
 fusion with plasma membrane, 579
 Golgi complex dynamics, 569–77
 Golgi complex morphology and behavior in different cell types, 570–71
 Golgi complex to plasma membrane transport, 577–79
 introduction, 558–59
 kinetic analysis, 579–81
 lumen, 560–61
 mitosis, 575–77
 perspectives, 581–82
 post-Golgi carriers, 577–79
 pre-Golgi intermediates, 565–66
 protein cycling pathways, 572–73
 protein folding, 561–63
 reassembly, 575–77
 recycling, 573–74

- remodeling, 572
- retention, 561–63
- retrograde transport, 574–75
- signal transduction, 573–74
- structural continuity, 560–61
- summary, 581–82
- SecYE translocase
 - membrane protein insertion and, 51–75
- Seeds
 - ethylene as signal molecule in plants and, 1–15
- Selector genes
 - Drosophila* body plan and, 243–45, 247–48, 255–62
- Self-assembly
 - dynammin and membrane fission, 483, 492–95
- Self-incompatibility
 - pollen/pistil interactions and
 - amino acid residues of S-proteins involved in recognition, 345
 - biochemical responses in pollen following self recognition, 345, 347
 - Brassicaceae, 349–57
 - conclusions, 357–59
 - future research, 357–59
 - generation of new S-haplotype specificities, 339–40
 - identifying gene that controls pollen S-haplotype specificity, 338–39
 - introduction, 334–36
 - model for self-incompatibility reaction, 348–49, 355–57
 - models for S-Rnase mediated self-incompatibility response, 341–43
 - modifier loci, 343–44
 - Papaveraceae, 344–49
 - polymorphic stigma-expressed gene at S-locus, 349–50
 - protein kinases, 346–47
 - S-gene controls stigma function, 344
 - S-protein-binding proteins in pollen, 347
 - S-Rnase gene encodes pistil S-haplotype specificity, 336
 - SLG* gene, 349–50
 - Solanaceae, 336–44
 - SP11/SCR* gene encodes pollen S-haplotype specificity, 352–54
 - SRK* gene encodes stigma S-haplotype specificity, 350–52
 - structural features of S-proteins, 344–45
 - structural organization of S-locus, 354–55
 - structure/function relationships of S-RNases, 337–38
 - semushii* mutant
 - SUMO and, 601
- Senescence
 - ethylene as signal molecule in plants and, 7
- Sentinels
 - immunologic epithelial M cells and, 302–3
- Sentrin
 - SUMO and, 591–620
- Septins
 - SUMO and, 615
- Serine
 - Cajal bodies and, 279
 - EPEC/host interactions and, 180
 - SUMO and, 602, 613, 615
 - virus nuclear entry and, 641
 - voltage-gated Ca^{2+} channels and, 534–35
- Seven membrane-embedded α -helices
 - retinylidene proteins and, 365–85
- SH3-binding sites
 - dynammin and membrane fission, 483–507
- Shallow spiral path
 - tubulin interactions and, 94
- S-haplotype epecificity
 - self-incompatibility and, 336, 338–40, 350–54
- shibire* gene
 - dynammin and membrane fission, 483–507
- Shigella flexneri*
 - epithelial M cells and, 310, 314
- Signaling cassette
 - stomatal guard cell signaling and, 221–34
- Signal recognition particle (SRP) complex
 - membrane protein insertion and, 51–75
- Signal sequence
 - membrane protein insertion and, 51–75
- Signal transduction
 - dynammin and membrane fission, 500–1
 - EPEC/host interactions and, 173–84
 - ERM-Merlin and EBP50 protein families, 113–33
 - ethylene in plants and, 1–15
 - membrane protein insertion and, 51–75
 - Myc/Max/Mad network and, 653–85
 - Neisseria* and epithelial

- cells, 423, 435–37, 439–40
 plant trafficking via plasmodesmata and, 393–416
 retinylidene proteins and, 365–85
 secretory protein trafficking and organelle dynamics in living cells, 573–74
 self-incompatibility and, 333–59
 stomatal guard cell signaling and, 221–34
 virus nuclear entry and, 627–51
- Sin3 protein**
 Myc/Max/Mad network and, 680–82
- Sinks**
 plant trafficking via plasmodesmata and, 414–15
- Skeletal muscle**
 voltage-gated Ca^{2+} channels and, 530–33, 542–43
- Skeleton**
 vertebrate
 bone development and, 51–75
- S-locus**
 self-incompatibility and, 333–59
- Small intestine**
 epithelial M cells and, 301–24
- Small ubiquitin-related modifier (SUMO)**
 protein
 2IkBa, 610–11
 acceptor sites, 619
 Aos1/Uba2 enzyme, 597–99
 Cdc3, 615
 Cdc11, 615
 c-jun, 613
 cleavage, 596–603
 conclusions, 618–20
 conjugation in mammalian cells, 604–5
 conjugation in yeast, 603–4
 C-terminal hydrolases and isopeptidases, 601–3
 cytomegalovirus IE1/IE2 proteins, 610
 Dorsal, 611
 Drosophila tramtrack 69 gene, 613–14
 dynamic modification, 603–5
 enzymes, 596–603
 genetics, 594–95
 Glut1/Glut4 glucose transporters, 615
 human genes, 594–95
 introduction, 592–93
 ligation, 596–603
 Mdm2, 612–13
 minimal consensus site for modification by SUMO, 618
 names for SUMO, 593–94
 p53, 611–12
 PEST sequences, 616, 618
 PML, 608–9
 potential targets, 616–17
 RanBP2, 607–8
 RanGAP1, 605–7
 Sep7, 615
 SP100, 609
 structure, 595–96
 SUMO 2/3, 604–5
 SUMO1, 595–96
 SUMOlation pathway, 597
 targets, 605–18
 topoisomerase I, 614–15
 Ubc9 enzyme, 599–600
 yeast genes, 594–95
 yeast septins, 615
- SMT3 gene**
 SUMO and, 591, 593
 SNAP-25 protein
- voltage-gated Ca^{2+} channels and, 544
- SNARE proteins**
 stomatal guard cell signaling and, 232–33
 synaptic vesicle exocytosis and, 19–42
 voltage-gated Ca^{2+} channels and, 521, 538, 543–44
- B-Snurposomes**
 Cajal bodies and, 286, 289–91
- Solanaceae**
 self-incompatibility and, 333, 336–44
- Solanum* spp.**
 self-incompatibility and, 336, 338
 stomatal guard cell signaling and, 223, 229
- Solute flux**
 stomatal guard cell signaling and, 221–34
- Somatic nuclei**
 Cajal bodies and, 275–77
- Sorting**
 secretory protein trafficking and organelle dynamics in living cells, 557–82
- SOX genes**
 bone development and, 200–1
- SP100 protein**
 SUMO and, 609
- spalt* gene**
 bone development and, 200
- Spatial factors**
 plant trafficking via plasmodesmata and, 393–416
 secretory protein trafficking and organelle dynamics in living cells, 557–82
- Spdh* gene**

- bone development and, 200
- Specificity
- Drosophila* body plan and, 243, 257–58
 - self-incompatibility and, 336, 338–40, 350–54
- Spermatopsis similis*
- retinylidene proteins and, 379
- Spirals
- dynamín and membrane fission, 483, 492–93
- Spoilage
- ethylene as signal molecule in plants and, 1–15
- SRK receptor kinase
- self-incompatibility and, 333–59
- S-Rnase gene
- self-incompatibility and, 333–59
- SRP-Sec pathways
- membrane protein insertion and, 56–57, 63–64
- Stability
- tubulin interactions and, 89–107
 - stargazer* mutation
 - voltage-gated Ca^{2+} channels and, 528
- Stathmin
- tubulin interactions and, 101
- Steroids
- orphan nuclear receptors and cholesterol homeostasis, 461
- Sterol regulatory
- element-binding proteins (SREBPs)
 - orphan nuclear receptors and cholesterol homeostasis, 459–81
- Sterols
- orphan nuclear receptors and cholesterol homeostasis, 461
- Stigma
- self-incompatibility and, 344, 349–52
- Stigmatic surface cell
- self-incompatibility and, 333–59
- Stomata
- guard cell signaling and, 221–34
- Stop-transfer insertion
- membrane protein insertion and, 66–67
- Strab* gene
- bone development and, 204
- Structural continuity
- secretory protein
 - trafficking and organelle dynamics in living cells, 560–61
- Structure/function
- relationships
 - retinylidene proteins and, 365–85
 - self-incompatibility and, 337–38
 - voltage-gated Ca^{2+} channels and, 521–44
- Subcellular localization
- SUMO and, 591–620
- SUT1* promoter
- plant trafficking via plasmodesmata and, 407–9
- Synaptic transmission
- voltage-gated Ca^{2+} channels and, 521–44
- Synaptic vesicle exocytosis
- calcium, 36–38
 - closed conformation, 33–34
 - conclusions, 42
 - core complex nucleation, 34–35
 - docking, 39–40
 - functional assays, 25–27
 - future research, 30–31, 34–35, 41–42
- GTPases, 31–33
- introduction, 20–21
- mammalian systems, 39
- membrane fusion, 23–38
- miscellaneous proteins, 38
- model of synaptic vesicle membrane fusion, 27–28
- multiple effectors, 32–33
- neuronal v- and t-SNARES, 23–24
- new class of large active zone proteins, 39–40
- nSec1, 31–34
- NSF, 35–36
- phosphorylation, 40–42
- PITPs, 36
- Rab3a, 31–3
- Sec6/8 complex, 38–39
- SNARE complex
- disassembly, 35–36
- SNARE homologs, 28–30
- SNARE proteins, 23–36, 40–41
- stable four-helical bundle, 24–26
- summary, 42
- synaptotagmin, 36–37
- syntaxin, 33–34
- targeting, 38–39
- trafficking, 31–33
- vesicle priming, 35–36
- yeast, 38–39
- Synaptic vesicle recycling
- dynamín and membrane fission, 483, 496–98
- Synaptojanin
- dynamín and membrane fission, 501–2
- Synaptotagmin
- synaptic vesicle exocytosis and, 36–37
- Syndapin I
- dynamín and membrane fission, 503
- Synprint site
- voltage-gated Ca^{2+} channels and, 543

- Syntaxin
synaptic vesicle exocytosis
and, 19, 33–34
- T**
- Tails
actin
EPEC/host interactions
and, 173–84
- Targeted deletions
Myc/Max/Mad network
and, 660–61, 678–79
- Targeting
Myc/Max/Mad network
and, 668–75
plant trafficking via
plasmodesmata and, 403
SUMO and, 605–18
synaptic vesicle exocytosis
and, 38–39
- Taxanes
tubulin interactions and,
101
- Taxol
tubulin interactions and,
102–4, 107
- Taxotere
tubulin interactions and, 94
- TBX* genes
bone development and, 199
teashirt gene
Drosophila body plan and,
249, 251
- Temporal factors
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
- Tetramerization
dynamin and membrane
fission, 492–93
- Thogoto virus
virus nuclear entry and,
643
- Threonine
EPEC/host interactions
and, 180
- retinylidene proteins and,
368
SUMO and, 613,
615
- Thylakoids
membrane protein insertion
and, 51, 60–64
- Tight junction disruption
EPEC/host interactions
and, 173, 180–81
- TIM22 pathway
membrane protein insertion
and, 67–68
- Time-lapse imaging
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
- Tir protein
EPEC/host interactions
and, 176–79
- Tissue inhibitors of
metalloproteases
(TIMPs)
bone development and, 194
- Toads
retinylidene proteins and,
365–85
- Tobacco mosaic virus (TMV)
plant trafficking via
plasmodesmata and,
400, 403–4
- Todarodes pacificus*
retinylidene proteins and,
382–83
- Tonoplasts
stomatal guard cell
signaling and, 224
- Tonsils
epithelial M cells and,
301–24
- Topogenic sequences
membrane protein insertion
and, 53–54
- Topoisomerase I
SUMO and, 614–15
- Topology
- retinylidene proteins and,
367–70
- Trafficking
dynamin and membrane
fission, 483–507
ERM-Merlin and EBP50
protein families, 113–33
Neisseria and epithelial
cells, 423–45
plant trafficking via
plasmodesmata and,
393–416
secretory protein
trafficking and organelle
dynamics in living cells,
557–82
stomatal guard cell
signaling and, 221–34
synaptic vesicle exocytosis
and, 19, 31–33
virus nuclear entry and,
644
- Transactivation
Myc/Max/Mad network
and, 665–67
- Transcription
adipogenesis molecular
regulation and, 151–57
Cajal bodies and, 273–94
Myc/Max/Mad network
and, 653–85
voltage-gated Ca^{2+}
channels and, 521–44
- Transcription factors
bone development and,
51–75
ethylene as signal molecule
in plants and, 1, 13–14
Myc/Max/Mad network
and, 653–85
orphan nuclear receptors
and cholesterol
homeostasis, 459–81
plant trafficking via
plasmodesmata and, 393,
405–6
SUMO and, 611–13

- Transcription module
Myc/Max/Mad network and, 683-85
- Transcriptosomes
Cajal bodies and, 273-94
- Transcytosis
epithelial M cells and, 310-11
Neisseria and epithelial cells, 423-45
- Transepithelial transport
epithelial M cells and, 301-24
- Transformation
Myc/Max/Mad network and, 677-78
Neisseria and epithelial cells, 433-34
- Transgenes
bone development and, 201
epithelial M cells and, 314-15
ethylene as signal molecule in plants and, 13
plant trafficking via plasmodesmata and, 410
self-incompatibility and, 336-38, 353
stomatal guard cell signaling and, 230-31
- Translation
Cajal bodies and, 273-94
- Translocation
membrane protein insertion and, 54-55
secretory protein trafficking and organelle dynamics in living cells, 557-82
- Transmembrane
voltage-gated Ca^{2+} channels and, 521, 539
- Transmembrane helices
membrane protein insertion and, 71-73
- Transport
epithelial M cells and, 301-24
plant trafficking via plasmodesmata and, 393-416
retinylidene proteins and, 365-85
secretory protein trafficking and organelle dynamics in living cells, 557-82
stomatal guard cell signaling and, 223-24, 231-33
synaptic vesicle exocytosis and, 19-42
- Transposons
self-incompatibility and, 354
- Trifluralin
tubulin interactions and, 102, 107
- Triturus* spp.
Cajal bodies and, 289, 292
- Tropism
virus nuclear entry and, 644
- Tryptophan
retinylidene proteins and, 369
- ttk69* gene
SUMO and, 613-14
- T-type currents
 Ca^{2+} voltage-gated Ca^{2+} channels and, 521-44
- Tubes
self-pollen self-incompatibility and, 333-59
- Tubulin
protein and drug interactions
colchicine site, 104-5
domain structure, 93-94
FtsZ, 94
GTPase, 96-97
- GTPase-activating protein, 96-97
interactions with other proteins, 98-101
introduction, 90
microtubule structure and dynamics, 90-93, 95-96
miscellaneous drugs, 106-7
nucleotide-binding sites, 96
structure, 93-97
summary, 107
taxol-binding site, 102-4
tubulin-drug interactions, 101-7
vinca domain, 105-6
- Tumor necrosis factor (TNF)
epithelial M cells and, 317-18
- Tumor suppressor genes
ERM-Merlin and EBP50 protein families, 113-33
Myc/Max/Mad network and, 658-60, 679-80
- TUNEL apoptotic marker
epithelial M cells and, 320
- Twin arginine pathway
membrane protein insertion and, 64
- twin of eyeless*
Drosophila body plan and, 251-52
- twist* gene
bone development and, 194
- Twitching motility
Neisseria and epithelial cells, 423, 433-34
- Two-component system
ethylene as signal molecule in plants and, 1-15
- Type III secretion system
bacterial
EPEC/host interactions and, 173-78
- Tyrosine

- EPEC/host interactions and, 177, 179
 ERM-Merlin and EBP50 protein families, 129
 ethylene as signal molecule in plants and, 10
 retinylidene proteins and, 369
 virus nuclear entry and, 641
- U**
- Ubc9 enzyme
 SUMO and, 599–600
- Ubiquitins
 nonclassical
 SUMO and, 591–20
- Ubl1 protein
 SUMO and, 591–620
- Uncoating
 virus nuclear entry and, 627, 631–37, 640–43
- Unitary particles
 Cajal bodies and, 273–94
- V**
- Vaccines
 epithelial M cells and, 301–24
- Vacuoles
Neisseria and epithelial cells, 443–44
- VAMP protein
 synaptic vesicle exocytosis and, 19–42
- VA opsin
 retinylidene proteins and, 383–84
- Vascular endothelial growth factor (VEGF)
 bone development and, 202–3
- Vertebrates
 bone development and, 51–75
 Cajal bodies and, 273–94
- Vesicle trafficking
 dynamin and membrane fission, 483–507
 stomatal guard cell signaling and, 221–34
 synaptic vesicle exocytosis and, 19–42
- vestigial gene
Drosophila body plan and, 251, 255–56
- Vibrio cholerae*
 epithelial M cells and, 312–13, 321
- Vicia* spp.
 stomatal guard cell signaling and, 223, 230–31
- Vinblastine
 tubulin interactions and, 101, 105–6
- Vinca domain
 tubulin interactions and, 101–2, 105–7
- Virulence factors
 EPEC/host interactions and, 174–78
Neisseria and epithelial cells, 423–45
- Viruses
 epithelial M cells and, 312
 plant trafficking via plasmodesmata and, 400–1, 403–4, 408
- Virus nuclear entry
 adenoviruses, 634–35
 baculoviruses, 637
 general issues, 629–31
 hepatitis B virus, 635–37
 herpesviruses, 631–34
 HIV1, 640–42
 influenza virus, 642–43
 introduction, 628–29
 papovaviruses, 638–39
 parvoviruses, 639
 perspectives, 643–44
 plant geminiviruses, 639
 RNA viruses with nuclear replication, 643
 uncoating at nuclear membrane, 631–37
 viruses that enter nucleus intact, 638–39
 viruses with substantial uncoating in cytoplasm, 640–43
 SUMO and, 595, 608, 610
- Visual pigments
 retinylidene proteins and, 380–82
- Vitronectin
Neisseria and epithelial cells, 439–40
- Voltage gating
 Ca²⁺ channel regulation and, 521–44
 stomatal guard cell signaling and, 221–34
- Volvox carteri*
 retinylidene proteins and, 379
- Volvoxrhodopsin
 retinylidene proteins and, 379–80
- Vps1 protein
 dynamin and membrane fission, 503–4
- W**
- WASP protein
 EPEC/host interactions and, 178–79
- White adipose tissue
 adipogenesis molecular regulation and, 145–63
- Whole-body cholesterol homeostasis
 orphan nuclear receptors and cholesterol homeostasis, 465
- Winter nights
 short
 plant trafficking via plasmodesmata and, 415
- Wnt7a* gene

bone development and,
197-98

X

Xenopus laevis

Cajal bodies and, 279-83,
286-89, 292-93
retinylidene proteins and,
384
SUMO and, 594, 601, 607
virus nuclear entry and,
637
voltage-gated Ca^{2+}
channels and, 529, 536,
540

X-ray crystallography

Myc/Max/Mad network
and, 661-63
retinylidene proteins and,
370-72

SUMO and, 596
tubulin interactions and,
93-103, 107

Y

Yeast
dynamin and membrane
fission, 503-4
ethylene as signal molecule
in plants and, 6, 8-11
Myc/Max/Mad network
and, 665, 672, 680-81
retinylidene proteins and,
377-78
SUMO and, 593-95,
597-99, 601-5, 615, 617
synaptic vesicle exocytosis
and, 38-39
tubulin interactions and,
101

Yersinia spp.

EPEC/host interactions
and, 180
epithelial M cells and, 311,
313, 321
YgjF protein family
tubulin interactions and, 93
YidC protein
membrane protein insertion
and, 59-60
Youthful communication
plant trafficking via
plasmodesmata and, 411

Z

Zone of polarizing activity
bone development and, 197
Zoospores
retinylidene proteins and,
378